

# CATALOGUE

FOR 1843,

OF A CHOICE COLLECTION

OF

## FLORICULTURAL, VEGETABLE, AND AGRICULTURAL SEEDS,

COMPRISING UPWARDS OF

ONE THOUSAND SPECIES AND VARIETIES OF FLOWER SEEDS,

AND AMONG OTHERS,

SOME SPLENDID ASSORTMENTS OF

**German Asters, Stocks, Zinnias, Hollyhocks,**

&c. &c. (Page 4);

BESIDES A NUMEROUS LIST OF OTHER ESTABLISHED  
FAVOURITES, AND MANY NEW AND RARE SEEDS,

**Well worthy the attention of Florists and Amateurs in general.**

~~~~~  
THE LISTS OF VEGETABLE AND AGRICULTURAL SEEDS  
WILL BE FOUND TO CONTAIN ALL THE LEADING  
AND MOST APPROVED VARIETIES.  
~~~~~

TO BE HAD OF

**JAMES CARTER,**  
**SEEDSMAN AND FLORIST,**  
**238, HIGH HOLBORN, LONDON.**

\*\* The German Seeds are from the usual source.

[Entered at Stationers' Hall.]

Gift of  
*Earl Blough*  
November 1957

## THE NECESSARY EXPLANATIONS

Respecting the Linnæan Classes and Orders, the Natural Orders, Duration, Height, Colour of the Flower, Time of Flowering, and Price, in Eight Columns, are given below. The exemplification will be found at Page 5.

1st and 2nd Columns.—The Linnæan Classes and Orders. 3rd.—Natural Orders.

4th Column.—*Hardiness and Duration of each plant.*

h. *hardy*; hli. *half-hardy*; t. *tender*; F. *frame*;—G. *greenhouse*;—S. *Stove perennial*; a. *annual* (last 1 year); b. *biennial* (last 2 years); p. *perennial* (last many years).—Application: ha. *hardy annual*; hliha. *half-hardy annual*; ta. *tender annual*; fa. *frame annual*; fgh. *frame or greenhouse*; ghli. and hli. *green or hothouse*; sa. *stove annual*; hli. *hardy biennial*; hliha. *half-hardy biennial*, &c. &c.

5th Column.—*Colour*: bl. *blue*; b. & w. *blue and white*, &c.; d. *dark*; l. *light*; d. r. *dark red*; div. *diverse*, &c. &c.; stri. *striped*, &c.

6th Column.—*Usual height of the plant in feet*; trai. *trailer*.

7th Column.—*Usual month of flowering*: 6, *June*; 6-9, *June to September*, &c. &c.

8th Column.—*Price per Packet*. 6d. *Packets may be had of those marked 3d., &c.*

TIME OF SOWING.—Hardy Annuals, February till June, and in Autumn. Hardy Biennials and Perennials, April till June, and in Autumn. Half-hardy Annuals, &c. in March, April, or May, on a moderate hot-bed. Many of the Biennials and Perennials marked hli will stand the winter without protection; they, as well as the half-hardy Annuals, with few exceptions, may likewise be sown on a warm border early in May. The tender Annuals require more than one hot-bed.

The Greenhouse Climbers marked \*\* may be planted in the borders in May.

\* Dwarf Plants proper for the edgings of beds. \*\* Ornamental Climbers.

† Biennials, &c. that usually flower the first year; sp. *species*, var. *variety*.

The dots | ... | ... | ... | ... | indicate a repetition; pl. *plures*, many; ex. *from*.

### I. The 24 Linnæan Classes. (See Miscel. Flower Seeds, 1st Col.)

The Linnæan Classes are founded on the Sexual Organs.

a. Stamens (male organs) equal.		c. Stamens united in sets.	
Classes.	No. 1. Monandria . . . . . 1 stamen	No. 16. Monadelphia, 1 set	
	2. Diandria . . . . . 2 stamens	17. Diadelphia, 2 sets	
	3. Triandria . . . . . 3 "	18. Polyadelphia, many sets	
	4. Tetrandria . . . . . 4 "	d. Compound Flowers ( <i>Asters</i> , &c.).	
	5. Pentandria . . . . . 5 "	19. Syngenesia	
	6. Hexandria . . . . . 6 "	e. Stamens on the style.	
	7. Heptandria . . . . . 7 "	20. Gynandria	
	8. Octandria . . . . . 8 "	f. Male and female separated.	
	9. Eucandria . . . . . 9 "	21. Monœcia, on one plant	
	10. Decandria . . . . . 10 "	22. Dioœcia, on different plants	
	11. Dodecandria 12 to 19 S. in the cup	g. Male, female, and hermaphrodite flowers, on one or different plants.	
	12. Icosandria 20 or more S. on the base	23. Polygamia, many marriages	
	13. Polyandria, many Stamens	h. Flowers wanting, or incomplete.	
	b. Stamens unequal.	24. Cryptogamia, hidden marriages ( <i>Ferns</i> , <i>Mosses</i> , &c.).	
	14. Didynamia, 2 long, 2 short		
	15. Tetradynamia, 4 " 2 "		

## II. The Linnæan Orders. (See Miscel. Flower Seeds, 2nd Column.)

The Linnæan Orders are founded on the Sexual Organs, Seeds, or Pods.

### a. Orders founded on the Styles, or female organs.

No. 25. Monogýnia	. 1 style
26. Digýnia	. 2 styles
27. Di-pentagýnia	2 to 5 "
28. Trigýnia	. 3 "
29. Tetragýnia	. 4 "
30. Pentagýnia	. 5 "
31. Hexagýnia	. 6 "
32. Heptagýnia	. 7 "
33. Decagýnia	. 10 "
34. Dodecagýnia	. 12 "
35. Polygýnia	many "

### b. On the Stamens (male organs).

36. Monan'dria	. 1 stamen
37. Diandria	. 2 stamens
38. Triandria	. 3 "
39. Tetrandria	. 4 "
40. Pentandria	. 5 "
41. Hexandria	. 6 "
42. Heptandria	. 7 "
43. Octandria	. 8 "
44. Eneandria	. 9 "
45. Decandria	. 10 "
46. Dodecandria	. 12 "
47. Icosandria	. 20 "

### No. 48. Polyandria many stamens

c. On the sets of Stamens.

### 49. Monadelphia, 1 set.

d. Styles and stamens united.

### 50. Gynandria

e. Male and female separate.

### 51. Monœ'cia, on one plant

### 52. Dicœ'cia, on different plants

f. On the Polygamy.

### 53. { Polygámia æquális, or Equal Polygamy

### 54. { Polygámia superflua Superfluous Polygamy

### 55. { Polygámia frustræa Frustrated Polygamy

### 56. { Polygámia necessariæ Necessary Polygamy

### 57. { Polygámia segregata Separated Polygamy

g. On the Seeds.

### 58. { Gymnosper'mia

{ Naked seeds

### 59. Angiosper'mia, in a capsule

h. On the Pods.

### 60. Siliculôsa, a small pod

### 61. Siliquôsa, a long pod.

## III. The Natural Orders. (See Miscel. Flower Seeds, 3rd Column.)

The Natural Orders are founded on Structural Affinities.

62. Acanthaceæ	84. Crassulaceæ	106. Loasaceæ	128. Proteaceæ
63. Amaranthaceæ	85. Crucifereæ	107. Lobeliaceæ	129. Ranunculaceæ
64. Amaryllidaceæ	86. Cucurbitaceæ	108. Lythraceæ	130. Resedaceæ
65. Aquifoliaceæ	87. Dipsaceæ	109. Magnoliaceæ	131. Rosaceæ
66. Apocynaceæ	88. Ericaceæ	110. Marantaceæ	132. Rutaceæ
67. Aristolochiaceæ	89. Euphorbiaceæ	111. Malvaceæ	133. Saxifragaceæ
68. Asclepiadaceæ	90. Ficoideæ	112. Melastomaceæ	134. Scrophulariaceæ
69. Balsaminaceæ	91. Funariaceæ	113. Myrsinaceæ	135. Sesameæ
70. Berberidaceæ	92. Gramineæ	114. Myrtaceæ	136. Silenaceæ
71. Bignoniaceæ	93. Gentianaceæ	115. Nyctaginaceæ	137. Solanaceæ
72. Boraginaceæ	94. Geraniaceæ	116. Nymphaeaceæ	138. Stellateæ
73. Bruniaceæ	95. Gesneriaceæ	117. Onagraceæ	139. Sterculiaceæ
74. Byttneriaceæ	96. Grossulariaceæ	118. Oxalidaceæ	140. Stylidiaceæ
75. Cactaceæ	97. Hamodoridaeæ	119. Palmaræ	141. Thymelaceæ
76. Campanulaceæ	98. Hydrophyllaceæ	120. Papaveraceæ	142. Tiliaceæ
77. Capparidaceæ	99. Hypericaceæ	121. Passifloraceæ	143. Tropæolaceæ
78. Celastraceæ	100. Iridaceæ	122. Pittosporaceæ	144. Umbellifereæ
79. Cistaceæ	101. Labiataæ	123. Polemoniaceæ	145. Valerianaceæ
80. Cobaceæ	102. Leguminosæ	124. Polygalaceæ	146. Verbenaceæ
81. Commelinaceæ	103. Liliaceæ	125. Polygonaceæ	147. Violaceæ
82. Compœsiteæ	104. Limnanthaceæ	126. Portulacææ	148. Zygophyllaceæ
83. Convolvulaceæ	105. Linaceæ	127. Primulaceæ	

The names of the Natural Orders ending in *aceæ* are chiefly derived from generic names, as *Campanulaceæ* from *Campanula*, a plant with bell-shaped flowers, the type of the order. Such as end in *æ* only are not derived from generic names, as *Compositæ*, *Palmæ*, &c., the latter of which comprehends the whole of the magnificent tribe of *Palms*, comprising upwards of forty known genera.

## ASSORTMENTS

OF

**GERMAN FLOWER SEEDS**

IN THE ORIGINAL SEALED PACKETS.

\*.\* *The Smaller Packets are only adapted for Small Gardens.*

		s.	d.
No. 1.	32 splendid varieties quilled German Aster .....	8	0
2.	The same in smaller Packets .....	5	0
3.	12 very fine varieties quilled German Aster .....	4	0
4.	The same in smaller Packets .....	2	6
5.	8 fine varieties Pyramidal German Aster .....	2	6
6.	The same in smaller Packets .....	1	6
7.	16 fine varieties Dwarf German Aster .....	5	0
8.	The same in smaller Packets .....	3	0
9.	60 varieties German Stock .....	17	6
10.	The same in smaller Packets .....	10	0
11.	25 very fine varieties Dwarf German Stock .....	8	0
12.	The same in smaller Packets .....	5	0
13.	12 finest varieties Dwarf German Stock .....	5	0
14.	The same in smaller Packets .....	3	0
15.	12 finest varieties Branching German Stock .....	3	6
16.	The same in smaller Packets .....	2	0
17.	12 fine varieties Wallflower-leaved German Stock ..	4	0
18.	The same in smaller Packets .....	2	6
19.	15 very fine varieties Autumnal Nosegay Stock ..	5	0
20.	The same in smaller Packets .....	3	0
21.	16 fine varieties Winter or Biennial Stock .....	4	6
22.	The same in smaller Packets .....	3	0
23.	8 very fine varieties Winter or Biennial Stock ..	2	6
24.	The same in smaller Packets .....	1	6
25.	12 finest varieties German Wallflower .....	5	0
26.	The same in smaller Packets .....	3	0
27.	12 finest varieties German Dwarf Larkspur .....	3	0
28.	8 very fine varieties German Tall Larkspur ....	2	0
29.	20 fine varieties Double Poppy .....	4	0
30.	8 extra fine varieties <i>Scabiosa grandiflora</i> .....	2	6
31.	16 very fine varieties Cockscomb .....	5	0
32.	16 finest varieties Double Balsam .....	4	0
33.	12 finest varieties French and African Marigold ..	2	6
34.	36 very fine varieties Double Hollyhock .....	7	0
35.	24 extra fine varieties <i>Zinnia elegans</i> .....	8	0
36.	12 ditto ditto .....	5	0

# CATALOGUE.

N.B. The Numbers 1 to 24 represent the 24 Linnæan Classes (see Column 1st), whereas those indicating the Linnæan Orders (2nd Column) and the Natural Orders (3rd Column) are arbitrary; their signification is given above (see Page 2nd). Example, *Adenóphora*, 5, 25, 76, belongs to the 5th Linnæan Class, *Peutandria*, the flower having 5 Stamens; to the Linnæan Order *Monogynia*, from its having 1 Style (Pistillum); and to the Natural Order *Campanulæææ*, plants with Bell-shaped Flowers.

## MISCELLANEOUS FLOWER SEEDS.

The following Plants, with few exceptions, and these, if necessary, are indicated, have no popular name; thus *Adenóphora suaveolens* is rendered Fragrant *Adenóphora*, &c.—In giving orders it is sufficient to mention the number.

A—indicates a variety. ( ) That the word is not literally translated, or is superadded.		THE ACCENTS.		Linnæan Class.	Linnæan Order.	Natural Order.	Hardiness and Duration.	Colour of the Flower.	Height, in Feet.	Month of Flowering.	Price per Packet.
à, è, ì, ò, ù, ý, as in <i>Acù-eia</i> , <i>Gardè-nia</i> , <i>Lupì-nus</i> , <i>Cù-cunis</i> , <i>Hý-acinth</i> . á, é, í, ó, and ý, as in <i>Itál-ica</i> , <i>él-egans</i> , <i>bíc-olor</i> , <i>Nemóph-ila</i> (ú does not occur).											
Scientific Name.	No.								feet	s. d.	
<i>Acácia arábica</i>	37	<i>Arabian</i>	23	51	102	S.	wh.	20	5-7	6	
<i>Cátechu</i>	38	<i>Catechu</i>	...	...	...	...	...	...	...	6	
<i>ferrugínea</i>	39	<i>ferruginous</i>	...	...	...	...	r. b.	...	...	6	
<i>lopantha</i>	40	<i>crested</i>	...	...	...	G.	yel.	6	6-8	6	
<i>speciôsa</i>	41	<i>showy</i>	...	...	...	S.	pur.	10	7-9	6	
<i>stipulâta</i>	42	<i>large-stipuled</i>	...	...	...	...	wh.	20	5-7	6	
<i>sp. ex Huasco</i>	43	<i>(new Chile sp.)</i>	...	...	...	G.	pur.	3		1 6	
<i>6 sp. N. Hollandiæ</i>	44	<i>New Holland</i>	...	...	...	...	...	4	5-8	1 6	
<i>Adenóphora Gmelini</i>	45	<i>Gmelin's</i>	5	25	76	hpt	p. bl.	2	6-8	4	
<i>marcupiflôra</i>	46	<i>purse-flowered</i>	...	...	...	...	...	2½	5-7	4	
<i>stylôsa</i>	47	<i>long-styled</i>	...	...	...	...	...	1	...	4	
<i>suavèolens</i>	48	<i>fragrant</i>	...	...	...	...	red	2½	6-8	4	
<i>Adesmia, sp. ex Coquimbo</i>	49	<i>(sp. Chile, No. 1.)</i>	16	45	102	hhp	yel.	5		1 6	
<i>sp. ex Arguros</i>	50	<i>(sp. Chile, No. 2.)</i>	...	...	...	...	...	3		1 6	
<i>Adlûmia cirrhôsa**</i>	51	<i>tendrilled</i>	17	41	91	hp	w&p	15	6-9	4	
<i>Adonis vernâlis</i>	52	<i>vernal</i>	13	35	129	hpt	yel.	1	3-5	4	
<i>Agerâtm mexicânum</i>	53	<i>Mexican</i>	19	53	82	ha	bl.	2	7-8	3	
<i>odorâtm</i>	54	<i>fragrant</i>	...	...	...	...	...	...	...	3	
<i>Alonsôa grandiflôra</i>	55	<i>large-flowered</i>	14	59	134	hhp†	se.	1½	6-9	6	
<i>Alstreméria aurantiaca</i>	56	<i>orange</i>	6	25	64	hpt	or.	2½	6-8	6	
<i>Flos Martini</i>	57	<i>(three-coloured)</i>	...	...	...	hhp	3-co.	2	...	1 0	
<i>pulehella</i>	58	<i>pretty</i>	...	...	...	...	se.	3	...	6	
<i>sp. ex Coquimbo</i>	59	<i>(Chilean sp., new)</i>	...	...	...	...	pur.	2		1 6	
— — —	60	<i>(fine mixed)</i>	...	...	...	...	div.	div.	div.	1 0	
<i>Alyssum saxátile</i>	61	<i>rock</i>	15	60	85	hpt†	yel.	1	4-6	4	
<i>Amaranthus trícôlor</i>	62	<i>three-coloured</i>	21	40	63	ta	v. ld.	1½	7-9	4	
<i>Amethystea cærulea</i>	63	<i>sky-blue</i>	2	25	101	ha	bl.	2	7-8	3	
<i>Amphérêphis intermèdia</i>	64	<i>intermediate</i>	19	53	82	hha	pur.	1½	...	4	



*A*—indicates a variety. ( ) That the word is not literally translated, or is superadded.

No.		L. Cl.	L. O.	N. O.	H. & Dur.	Col. of Fl.	Hght.	M. of Flow.	Price.
							feet		s. d.
65	<i>Amphicome arguta</i> **	<i>finely-cut</i>	14 59	71	hhp	li.	7-8	1 0	
66	<i>Anagallis carnea</i>	<i>flesh-coloured</i>	5 25	127	ha	fl.	1	...	3
67	— <i>indica</i>	<i>Indian</i>	...	...	...	bl.	...	...	3
68	— <i>Monelli</i>	<i>Monelli's</i>	...	...	...	...	6-9	6	
69	— <i>Philipsi</i>	<i>Philips'</i>	...	...	fp†	...	...	1 0	
70	— — —	<i>(finest mixed)</i>	...	...	...	div.	...	1 0	
71	<i>Anchusa paniculata</i>	<i>panieled</i>	...	72	hp	s. bl.	2	6-8	6
72	— — —	<i>4 species, mixed</i>	...	...	...	bl.	...	...	4
73	<i>Anemone coronaria</i>	<i>garland (Poppy)</i>	13 35	129	hpt†	div.	1½	5-7	6
74	— <i>hortensis</i>	<i>garden (Star)</i>	...	...	...	...	1	...	6
75	— <i>Pulsatilla</i>	<i>(Pasque-flower)</i>	...	...	...	vio.	½	...	6
76	— <i>vitifolia</i>	<i>vine-leaved</i>	...	...	fp	wh.	1	...	6
77	<i>Anoda Dilleniana</i>	<i>Dittenius's</i>	16 48	111	ha	bl.	2	7-8	3
78	<i>Aquilègia formosa</i>	<i>beautiful</i>	13 30	129	hp	r&o.	...	5-7	4
79	— <i>canadensis</i>	<i>Canadian</i>	...	...	...	...	...	...	4
80	— <i>elatior</i>	<i>— taller</i>	...	...	...	...	2½	...	4
81	— <i>glandulosa</i>	<i>glandular</i>	...	...	...	...	2	...	4
82	— <i>grandiflora</i>	<i>large-flowered</i>	...	...	...	bl.	...	...	4
83	— <i>sibirica</i>	<i>Siberian</i>	...	...	...	w&b	...	...	4
84	— <i>speciosa</i>	<i>showy</i>	...	...	...	...	...	...	4
85	— <i>stellata</i>	<i>starry</i>	...	...	...	...	...	...	4
86	— <i>viscosa</i>	<i>viscous</i>	...	...	...	pur.	...	...	4
87	— — —	<i>(fine mixed)</i>	...	...	...	div.	...	...	6
88	<i>Ardisia crenulata</i>	<i>crenulate</i>	5 25	113	S.	red	10	6-9	1 0
89	<i>Argemone grandiflora</i>	<i>large-flowered</i>	13 ...	120	ha	wh.	2	7-9	6
90	— <i>mexicana</i>	<i>Mexican</i>	...	...	...	yel.	...	...	3
91	— <i>alba</i>	<i>— white</i>	...	...	...	wh.	...	...	3
92	— <i>speciosa</i>	<i>showy</i>	...	...	...	yel.	...	...	4
93	— — —	<i>(fine mixed)</i>	...	...	...	w&y	...	...	4
94	<i>Argyrea cuneifolia</i> **	<i>wedge-leaved</i>	5 ...	83	S.	pur.	10	...	1 0
95	<i>Aristolochia chilensis</i> **	<i>Chile</i>	20 41	67	G.	p&y.	...	...	1 0
96	<i>Asclepias curassavica</i>	<i>Curassoa</i>	5 26	68	hgh	sc.	2	7-9	6
97	— <i>gigantica</i>	<i>gigantic</i>	...	...	...	w&p	6	...	1 0
98	— <i>asthmatica</i> **	<i>asthmatic</i>	...	...	...	...	8	...	6
99	— <i>pneumonanthe</i>	<i>wind-flower</i>	...	...	...	...	...	6-8	6
100	— <i>tuberosa</i>	<i>tuberous</i>	...	...	hhp	or.	2	7-9	6
101	— <i>sp. ex Coquimbo</i>	<i>(species Chile)</i>	...	...	...	...	...	...	1 0
102	<i>Aster incisus</i>	<i>cut (leaved)</i>	19 54	82	hpt†	bl.	1	6-8	3
103	— <i>tenuellus</i>	<i>slender</i>	...	...	...	...	...	...	3
104	<i>Aubretia purpurea</i>	<i>purple</i>	15 60	85	hp	pur.	½	5-6	4
105	<i>Azalea, sp. pulchella</i>	<i>pretty species</i>	5 25	88	...	...	...	...	6
106	<i>Balbisia peduncularis</i>	<i>long-peduncled</i>	10 30	118	G.	yel.	1	7-8	1 0
107	<i>Baptisia australis</i>	<i>southern</i>	... 25	102	hpt†	bl.	2	6-8	4
108	— <i>alba</i>	<i>white</i>	...	...	...	wh.	...	...	4
109	<i>Bartonia aurea</i>	<i>golden</i>	13 ...	106	ha	yel.	...	7-9	6
110	<i>Baulinia purpurea</i>	<i>purple</i>	10 ...	102	S.	pur.	6	6-8	6
111	— <i>racemosa</i> **	<i>cluster-flowered</i>	...	...	...	pink	15	...	6
112	— — —	<i>6 fine species</i>	...	...	...	div.	...	...	2 6
113	<i>Beaumontia grandiflora</i>	<i>large-flowered</i>	5 ...	66	...	wh.	15	...	1 0
114	<i>Bignonia, 4 sp.</i>	<i>(4 fine species)</i>	14 59	71	...	div.	...	...	1 0

<i>A</i> —indicates a variety. () That the word is not literally translated, or is superadded.		L.	O.	N.	H. & Dur.	Col. of Fl.	Hght.	M. of Flow.	Price.
No.		L.	O.	N.	H. & Dur.	Col. of Fl.	Hght.	M. of Flow.	Price.
115	Bignônia, sp. ex Andacolla	(sp. Chile, No. 1.)	14	59	71	G.	pur.	feet	s. d.
116	sp. ex Coquimbo	(splnd. sp. No. 2.)	...	...	...	...	...	...	1 0
117	Billardiera, sp. ex N. Hol.	New Holland sp.	5	25	122	...	...	6-8	2 6
118	Blumenbäueria insignis	beautiful	18	48	106	ha	wh.	t.	6
119	Boerhaavia, sp. ex Vicuña	(sp. Chile)	1	26	115	G.	...	...	7-9
120	Bomarea acutifolia**	sharp-leaved	6	25	64	hlp	r & y.	6	...
121	Salsilla**	Salsilla	...	...	...	...	g & c.	...	1 0
122	variabilis**	variable	...	...	...	...	var.	...	1 0
123	— — —	[bo] 3 fine var.	...	...	...	...	div.	...	1 0
124	Bowlèsia, sp. ex Coquimbo	(sp. Chile)	5	26	144	fp	...	...	1 0
125	Brachycoma iberidifolia	(sky-blue)	19	54	82	hha	bl.	2	7-9
126	Browallia elata	tall	14	59	134	gha	pur.	...	6-9
127	— alba	— white	...	...	...	...	wh.	...	4
128	Brunsfelsia, sp. insignis	fine species	...	...	...	S.	6	...	6
129	Buddlea, sp. ex Chile	(sp. Val. Andes)	4	25	...	hlp	...	...	1 6
130	Cacalia coccinea	scarlet	19	53	82	hha	se.	1	7-8
131	— aurea	(new orange)	...	...	...	...	or.	...	4
132	Candollea, sp. ex N. Hol.	(sp. Swan River)	18	48	...	G.	...	...	1 0
133	Casalpinia Sappan	Sappan	10	25	102	S.	yel.	12	6
134	sp. orientalis	(Indian sp.)	...	...	...	...	...	...	6
135	Calampelis scabra**	rough (podded)	14	59	71	fgh	or.	8	6-9
136	longiflora**	long-flowered	...	...	...	...	...	...	6
137	Calandrinia discolor	two-coloured	11	25	126	hha	rose	2	7-8
138	grandiflora	large-flowered	...	...	...	...	pur.	...	3
139	speciosa	showy	...	...	...	...	...	...	3
140	Calceolaria pinnata	winged	2	...	134	...	yel.	1½	...
141	— — —	splendid mixed	...	...	...	fgh	div.	2	6-9
142	Calliopsis or Coreopsis	beautiful mixed	19	55	82	hha	...	...	7-9
143	bicolor	two-coloured	...	...	...	...	y & r.	...	3
144	— atrosanguinea	dark red	...	...	...	...	r & y.	...	3
145	— nigra	black	...	...	...	...	dark	...	6
146	— fistulosa	quilled dark	...	...	...	...	...	...	6
147	— grandiflora	large-flowered	...	...	...	...	y & r.	...	4
148	— semiplena	semi-double	...	...	...	...	...	...	4
149	— fistulosa	quilled	...	...	...	...	...	...	6
150	Drummondii	Drummond's	...	...	...	...	y & b.	1	...
151	Atkinsonia	Atkinson's	...	...	...	hp	yel.	2	...
152	— — —	Nos. 142 to 151	...	...	...	...	div.	...	3 0
153	Callichorda platyglossa	broad (rayed)	...	56	...	hha	yel.	1	...
154	Campánula carpatia	Carpathian	5	25	76	hpf	bl.	½	6-9
155	persicifolia	peach-leaved	...	...	...	hp	...	3	7-9
156	— alba	— white	...	...	...	...	wh.	...	6
157	puleherrima	handsomest	...	...	...	...	...	...	6
158	pyramidalis	pyramidal	...	...	...	...	l. bl.	4	6-8
159	— alba	— white	...	...	...	...	wh.	...	4
160	Médium	Canterbury Bell	...	...	...	...	pur.	2½	6-9
161	— alba	— white	...	...	...	...	wh.	...	3
162	— flore-pleno	double	...	...	...	...	bl.	...	4
163	— — —	3 fine var.	...	...	...	...	div.	...	6
164	Lorei	Lore's	...	...	...	ha	bl.	1	6-8

*A* — indicates a variety. ( ) That the word is not literally translated, or is superadded.

No.		Cl.	L.	O.	N.	H.	Dur.	Col. of Fl.	Hght.	M. of Flow.	Price.
									feet		s. d.
165	Campánula	Nos. 154 to 164	5	25	76						3 0
166	Canna, pl. sp.	several species	1	...	110						1 0
167	Carthamus tinctorius	Dyers'	19	53	82	ha	div.	2	6-9		3
168	Cassia, 4 sp.	4 species	10	25	102	S.	or.	6	7-9		1 0
169	Catananche cærùlea	blue	19	53	82	hpt	div.	2	7-9		3
170	— bicolor	two-coloured.	...	...	...	...	bl.	...	...		6
171	— lutea	yellow	...	...	...	...	w&p.	1	...		3
172	Ceanòthus capensis	Cape	5	25		G.	wh.	3	5-7		1 0
173	— asiaticus	Asiatic	...	...	...	S.	sul.	10	7-4		1 0
174	Celastrus lucidus	shining	...	...	78	G.	wh.	2	5-9		6
175	Celsia erética	Cretan	14	59	137	hp	wh.	6	7-8		3
176	— orientalis	Oriental	...	...	...	ha	l.y.	1½	...		3
177	Centaurca americana	American	19	55	82	hha	red	2	8-9		6
178	— atropurpurea	dark purple	...	...	...	hpt	pur.	...	7-9		4
179	— chilensis	Chilean	...	...	...	...	...	...	...		1 0
180	— depressa	(dwarf)	...	...	...	ha	b&r.	1	7-8		6
181	Cereus triangularis	triangular	12	25	75	S.	wh.	...	8-9		1 0
182	Cestrum nocturnum	(fragrant)	5	...	137	...	...	7	...		6
183	Chamærops Palmetta	Palmetta	23	52	119	...	g&w	20	3-6		1 0
184	Chelone barbata	bearded	14	59	134	hpt	sc.	2	7-9		6
185	— elegans	elegant	...	...	...	...	div.	...	...		1 0
186	Chirònia frutescens	shrubby	5	25	93	fgh	red	1½	6-9		6
187	Chorozema ilicifolia	Holly-leaved	10	...	102	G.	c&y.	2½	6-8		6
188	Cineraria, pl. var. ext.	ext. fine, mixed	19	54	82	...	div.	1½	6-9		1 0
189	Cistus, pl. sp. et var.	fine mixed	13	25	79	hpt	...	2	...		1 0
190	Cladanthus arabicus	Arabian	19	54	82	ha	yel.	1½	7-8		3
191	Clarkia gauroides	Guura-like	8	25	117	...	pur.	2	...		3
192	— elegans	elegant	...	...	...	...	li.	...	...		3
193	— rosea et plena	rose and double	...	...	...	...	rose	...	...		3
194	— pulchella	pretty	...	...	...	...	...	1½	...		3
195	— alba	— white	...	...	...	...	wh.	...	...		4
196	— grandiflora	— large-flowered	...	...	...	...	d.r.	...	...		4
197	— — —	Nos. 191 to 196	...	...	...	...	div.	...	...		1 6
198	— — —	fine mixed	...	...	...	...	...	...	...		3
199	Clématis, sp. alba**	white species	13	35	129	G.	wh.	10	7-9		1 0
200	Cleome pentaphylla	five-leaved	15	61	77	hha	rose	2	7-8		4
201	— speciosa	showy	...	...	...	...	wh.	...	...		6
202	— spinosa	spiny	...	...	...	...	red	...	...		4
203	Clianthus puniceus	crimson	17	45	102	G.	er.	6	6-8		6
204	Clintonia elegans	elegant	16	40	107	hha	bl.	1½	7-8		6
205	— pulchella	(most beautiful)	...	...	...	...	3co.	1	...		1 0
206	Clitoria virginiana	Virginian	17	45	102	S.	bl.	6	...		1 0
207	— 2 sp.	(2 fine species)	...	...	...	...	...	...	...		1 0
208	Cristaria, 3 sp. ex Chìle	3 Chilean species	16	48	111	hha	o&s.	1½	...		1 0
209	Cobæa scandens**	climbing	5	25	80	G.	pur.	30	6-9		6
210	Collinsia bicolor	two-coloured	14	59	134	ha	w&p.	1½	7-8		3
211	— grandiflora	large-flowered	...	...	...	...	p&b.	1	...		3
212	— heterophylla	various-leaved	...	...	...	...	w&r.	1½	...		4
213	— verna	vernal	...	...	...	...	b&p.	1	...		3
214	Collomia coccinea	scarlet	5	25	123	...	sc.	...	...		3



<i>A</i> —indicates a variety. () That the word is not literally translated, or is superadded.			Cl.	O.	O.	H. & Dur.	Col. of Fl.	Hght.	M. of Flow.	Price.
No.			Li	Li	N.	Li	Dur.	feet		s. d.
215	<i>Commelina cælestis</i>	sky-blue	3	25	81	hht	bl.	1½	6-8	6
216	<i>Convolvulus</i> , 4 sp.	(A small sp.)	5	...	83	hgh	div.			6
217	<i>Corræa virens</i>	green	8	...	132	G.	gr.	6	5-9	1 0
218	<i>Corydalis glauca</i>	sea-green	17	41	91	ha	p & y	2	7-9	3
219	<i>nobilis</i>	noble	...	...	...	hpt	l.&y.	1	5-7	6
220	<i>Cosmanthus fimbriatus</i>	fringed	...	...	...	hha			7-8	6
221	<i>Cosma bipinnata</i>	bipinnate	19	55	82	...	pur.	2	8-9	6
222	<i>Crotalaria latifolia</i>	broad-leaved	16	45	102	S.	ycl.	...		6
223	<i>pulcherrima</i>	most handsome	...	...	...	...	...	...		6
224	4 sp.	(A fine sp.)	...	...	...	...	...	...		6
225	<i>Cuphea silenoides</i>	Silene-like	11	25	108	ha	vio.	1½	7-9	6
226	<i>procumbens</i>	procumbent	...	...	...	...	pur.	...	...	3
227	<i>Curtisia faginea</i>	(Assagay Tree)	4	25	65	G.	pale			1 0
228	<i>Cyclamen</i> , 2 sp.	(2 sp. mixed)	5	...	127	hht			4-8	6
229	<i>Cylista scariosa</i> [tum	scarious	17	45	102	S.	ycl.			6
230	<i>Cynoglossum glochidæ-</i>	(sky-blue)	5	25	72	hpt	bl.	3	...	6
231	<i>Cytisus plumosus</i>	feathered	16	45	102	G.			5-6	6
232	<i>Datura ceratocaula</i>	horn-stalked	5	25	137	hha	stri.	3	7-9	4
233	<i>fastuosa</i>	proud	...	...	...	...	pur.	2	...	4
234	— <i>alba</i>	— white	...	...	...	...	wh.	...	...	4
235	<i>Stramonium</i>	Stramonium	...	...	...	...	b&w	...	...	4
236	<i>Decandron grande</i>	tall	...	...	...	S.				6
237	<i>Delphinium azureum</i>	azure (Larkspur)	13	28	129	hpt	bl.	5	...	3
238	<i>americanum</i>	American	...	...	...	...	l. b.	3	...	3
239	<i>amœnum</i>	pleasing	...	...	...	...	var.	2	...	3
240	<i>chinense</i>	Chinese	...	...	...	...	bl.	...	...	3
241	— <i>flore albo</i>	— white	...	...	...	...	wh.	...	...	4
242	— <i>flore pleno</i>	— double	...	...	...	...	w&b	...	...	6
243	— — —	6 var. sep.	...	...	...	...	div.	...	...	2 6
244	<i>elatum</i>	(Bee)	...	...	...	...	...	5	...	3
245	<i>grandiflorum</i>	large-flowered	...	...	...	...	div.	2	...	6
246	<i>gratum</i>	agreeable	...	...	...	...	bl.	...	...	4
247	<i>laciniatum</i>	cut (leaved)	...	...	...	...	...	...	...	4
248	<i>lazulinum</i>	lazuline	...	...	...	...	d. b.	...	...	4
249	<i>Menziesii</i>	Mr. Menzies'	...	...	...	...	bl.	2½	...	4
250	<i>mexicanum?</i>	Mexican	...	...	...	...	l. b.	3	...	6
251	<i>palmatifidum</i>	palm-shaped	...	...	...	...	b.	...	...	4
252	<i>procernum</i>	tall	...	...	...	...	...	4	...	4
253	<i>speciosum</i>	showy	...	...	...	...	...	3	...	4
254	<i>sulcatum</i>	furrowed	...	...	...	...	...	2	...	4
255	<i>triste</i>	drooping	...	...	...	...	...	...	...	6
256	<i>urceolatum</i>	pitcher-shaped	...	...	...	...	...	...	...	6
257	— — —	Nos. 237 to 256	...	...	...	...	div.			7 0
258	— — —	very fine mixed	...	...	...	...	...			1 0
259	<i>Desmodium gyroides</i>	gyrans-like	17	45	102	hgh	pur.	5		1 0
260	4 sp.	(A fine sp.)	...	...	...	...	div.	div.		1 0
261	<i>Dianthus alpinus</i>	alpine (Pink)	10	26	136	hpt	cr.	½	6-8	4
262	<i>capitatus*</i>	clustered	...	...	...	...	d. r.	1	...	6
263	<i>Carthusianorum</i>	Carthusians'	...	...	...	...	red	1½	...	3
264	<i>chinensis, fl. pl.*</i>	(ext. fine Indian)	...	...	...	hpt	div.	1	...	6

<i>A — indicates a variety. () That the word is not literally translated, or is superadded.</i>			L.	O.	N. O.	H. & Dur.	Col. of Fl.	Hght.	M. of Flow.	Price.
No.			L.	O.	N. O.	H. & Dur.	Col. of Fl.	Hght.	M. of Flow.	Price.
265	<i>Dianthus collinus</i>	mountain	10	26	136	hp†	bord	1	6-8	4
266	giganteus	gigantic	...	...	...	...	...	3	...	6
267	guttatus*	spotted	...	...	...	...	spot.	1	...	4
268	hispánicus*	Spanish	...	...	...	hb†	er.	...	...	4
269	— splendens*	— splendid	...	...	...	...	sc.	...	...	6
270	híbridus*	hybrid	...	...	...	...	var.	...	...	4
271	latifolius	(China Pink)	...	...	...	...	div.	...	...	4
272	monadelphus	monadelphous	...	...	...	hp†	w&p	...	...	4
273	plumarius, fl. p.	dou. feathered	...	...	...	...	div.	...	...	6
274	pulchellus*	pretty	...	...	...	...	...	...	...	6
275	fimbriatus	fringed	...	...	...	...	...	...	...	6
276	superbus	superb	...	...	...	...	lil.	1½	...	3
277	— — —	Nos. 261 to 276	...	...	...	...	...	...	5	0
278	<i>Didiscus cæruleus</i>	bl. ( <i>Trachymène</i> )	5	25	144	hha	s. bl.	2½	7-9	6
279	<i>Digitális grandiflora</i>	large-flowered	14	59	134	hp†	sul.	3	...	4
280	anrea	golden	...	...	...	...	or.	2	...	4
281	gigantea	gigantic	...	...	...	...	...	...	...	4
282	lutea	yellow	...	...	...	...	ycl.	2	...	4
283	purpurea	purple	...	...	...	...	pur.	3	...	3
284	— alba	— white	...	...	...	...	wh.	...	...	3
285	— bicornuta	— two-horned	...	...	...	...	...	...	...	6
286	— — —	Nos. 279 to 285	...	...	...	...	...	...	2	0
287	<i>Diosma</i> , 3 sp.	(3 fine sp.)	5	25	132	G.	div.	...	4-9	1 0
288	<i>Diplacus puniceus</i>	scarlet	14	59	134	hhpt	sc.	2	7-9	6
289	<i>Dodecatheon Meadia</i>	<i>Meadia</i>	5	25	127	fgh	div.	1	5-7	1 0
290	<i>Dolichos lignosus**</i>	woody	17	45	102	hhp†	pur.	12	6-8	6
291	speciosus**	[nense showy	...	...	...	...	...	...	...	1 0
292	<i>Dracocéphalum argu-</i>	<i>Argun</i>	14	58	101	hp†	bl.	1½	7-9	6
293	canariense	( <i>Balm of Gilead</i> )	...	...	...	...	p & p	2½	...	6
	<i>Eccremocarpus</i>	see <i>Calampelis</i>	...	...	...	...	...	...	...	...
294	<i>Echinocactus</i> , 3 sp.	(3 fine sp.)	12	25	75	S.	div.	...	...	1 0
295	Ottóuis	Pr. Otto's	...	...	...	...	...	...	...	1 0
296	<i>Echinum grandiflorum</i>	large-flowered	5	...	72	hp†	rose	2½	7-9	6
297	<i>Elichrysium macranthum</i>	large-flowered	19	54	82	hha	fl.	2	...	4
298	6 sp. et var.	(6 fine sorts)	...	...	...	...	div.	...	...	2 0
299	maritimum	sea	...	...	...	G.	w & y	4	6-8	6
300	speciosissimum	most-showy	...	...	...	...	wh.	6	7-9	1 0
301	<i>Stachelina</i>	<i>Stachelina</i>	...	...	...	...	...	1½	year.	6
302	variegatum	variegated	...	...	...	...	var.	2	5-7	6
303	<i>Erica</i> , 30 sp.	(30 fine sp.)	8	25	88	...	div.	div.	...	2 6
304	<i>Eriostemon buxifolia</i>	box-leaved	10	...	132	...	pink	2	5-8	1 0
305	<i>Erinus alpinus</i>	alpine	14	59	134	hp†	li.	½	4-6	3
306	hispánicus	Spanish	...	...	...	...	red	...	...	3
307	<i>Erysimum alpinum*</i>	alpine	15	61	85	hb†	ycl.	1	5-7	4
308	<i>Peroffskianum*</i>	<i>Peroffski's</i>	...	...	...	ha	or.	1½	6-9	6
309	<i>Erythrina caffra</i>	<i>Caffrarian</i>	17	45	102	G.	sc.	6	7-9	1 0
310	indica	Indian	...	...	...	S.	...	...	...	1 0
311	velutina	velvety	...	...	...	...	...	...	...	1 6
312	<i>Erythrolena conspéna</i>	conspicuous	19	53	82	hhp†	...	6	6-9	6
313	<i>Eschscholzia crócea</i>	orange	13	29	120	hp†	or.	2	...	3

<i>A</i> — indicates a variety, () That the word is not literally translated, or is superadded.			Cl.	O.	N.	H. & Dur.	Col. of Fl.	Height.	M. of Flow.	Price.
No.			L.	L.	O.	H. & Dur.	Col. of Fl.	Height.	M. of Flow.	Price.
314	<i>Eschscholzia californica</i>	<i>Californian</i>	13	29	120	hpt	ycl.	2	6-9	3
315	<i>compacta</i>	<i>compact</i>	...	...	...	...	...	1	...	3
316	<i>Eschynomene</i> , sp.	( <i>fine species</i> )	17	45	102	S.	...	...	...	6
317	<i>Eucalyptus Drummondii</i>	<i>Drummond's</i>	12	25	114	hht	...	...	1 0	...
318	<i>Encaridium concinnum</i> *	<i>neat</i>	8	...	117	ha	pnr.	1	7-8	6
319	<i>Euphorbia</i> , sp. variegata	<i>variegated</i>	11	28	89	G.	var.	...	...	6
320	<i>Eutoca divaricata</i>	<i>divaricate</i>	5	25	98	ha	...	1	...	3
321	<i>multiflora</i>	<i>many-flowered</i>	...	...	...	...	fl.	...	...	3
322	<i>viscida</i>	<i>viscid (fine)</i>	...	...	...	...	bl.	...	...	3
323	<i>Wrangeliana</i>	<i>Pr. Wrangel's</i>	...	...	...	...	li.	...	...	1
324	<i>Evolvulus</i> , sp. Argueros	( <i>fine sp. Chile</i> )	...	26	83	G.	...	...	1 0	...
325	<i>Fedia cornucopiae</i>	( <i>Horn of Plenty</i> )	2	25	145	ha	red	1	7-8	1
326	<i>Francia appendiculata</i>	<i>appendicled</i>	8	29	...	hpt	pink	1½	...	6
327	<i>Gaillardia bicolor</i>	<i>two-coloured</i>	19	55	82	...	or.	2	...	4
328	<i>Drummondii</i>	<i>Drummond's</i>	...	...	...	...	c&r.	...	...	6
329	<i>— coccinea</i>	<i>— scarlet</i>	...	...	...	...	sc.	...	...	6
330	<i>4 sp.</i>	( <i>fine mixed</i> )	...	...	...	...	div.	...	...	6
331	<i>Gardena latifolia</i>	<i>broad-leaved</i>	5	25	...	hgh	p. y.	6	1-5	1 0
332	<i>Thunbergiana</i>	<i>Thunberg's</i>	...	...	...	G.	wh.	...	...	1 0
333	<i>Genista fragrans</i>	<i>fragrant</i>	16	45	102	...	...	2	6-8	6
334	<i>2 sp.</i>	( <i>2 fine species</i> )	...	...	...	...	...	...	...	6
335	<i>Gentiana acaulis</i>	<i>stemless</i>	5	26	93	hpt	bl.	1½	4-7	6
336	<i>— — —</i>	<i>fine mixed</i>	...	...	...	...	...	2	4-8	6
337	<i>Gesnera magnifica</i>	<i>magnificent</i>	14	59	95	S.	sc.	...	7-9	1 0
338	<i>8 sp.</i>	( <i>8 fine sp. mixed</i> )	...	...	...	...	o&s.	...	...	1 0
339	<i>Genm coccineum</i>	<i>scarlet</i>	12	35	131	hpt	sc.	...	...	1
340	<i>— flore-pleno</i>	<i>— double</i>	...	...	...	...	...	...	...	6
341	<i>— — —</i>	<i>4 fine var. m.</i>	...	...	...	...	...	...	...	6
342	<i>Gilia achillaeifolia</i>	<i>Milfoil-leaved</i>	5	25	123	ba	bl.	...	7-8	3
343	<i>splendens</i>	<i>splendid</i>	...	...	...	...	...	1½	...	6
344	<i>tennifolia</i>	<i>fine-leaved</i>	...	...	...	...	rose	...	...	6
345	<i>tricolor</i>	<i>three-coloured</i>	...	...	...	...	3 co.	...	...	3
346	<i>— albo-cerulea</i>	<i>white and blue</i>	...	...	...	...	w&b	...	...	3
347	<i>— — —</i>	<i>Nos. 342 to 346</i>	...	...	...	...	div.	...	...	1 6
348	<i>Gladiolus Herbertianus</i>	( <i>20 splendid var.</i> )	3	...	100	fp.	...	2	7-9	2 6
349	<i>Gloriosa superba</i> **	<i>superb</i>	6	...	103	S.	or.	6	...	1 6
350	<i>Gloxinia caudata</i>	<i>snow-white</i>	14	59	95	hgh	wh.	1½	6-9	1 0
351	<i>12 sp. and var.</i>	( <i>12 fine s. mixed</i> )	...	...	...	...	div.	...	...	2 6
352	<i>Glycine</i> , 2 sp.	( <i>2 fine sp. mixed</i> )	17	45	102	...	...	...	...	1 0
353	<i>Godetia (Eriothera)</i>	( <i>fine mixed</i> )	8	25	117	ha	div.	1	6-8	3
354	<i>bifrons</i>	<i>two-fronted</i>	...	...	...	...	p&c.	...	7-8	3
355	<i>concinna</i>	<i>neat</i>	...	...	...	...	p&r.	1	...	3
356	<i>lepida</i>	<i>pretty</i>	...	...	...	...	lil.	1	...	3
357	<i>Lindleyana</i>	<i>Dr. Lindley's</i>	...	...	...	...	w&r	...	...	3
358	<i>purpurea</i>	<i>purple</i>	...	...	...	...	pur.	...	...	3
359	<i>quadrivulnera</i>	<i>four-spotted</i>	...	...	...	...	spot.	...	...	3
360	<i>Romanzovii</i>	<i>Romanzow's</i>	...	...	...	...	pur.	...	...	3
361	<i>rosea</i>	<i>rose</i>	...	...	...	hpt	rose	...	5-9	3
362	<i>rosco-alba</i>	<i>rose and white</i>	...	...	...	ha	r&w	...	7-8	3
363	<i>rubicunda</i>	<i>blushing</i>	...	...	...	...	pur.	1½	...	3

<i>A — indicates a variety. ( ) That the word is not literally translated, or is superadded.</i>		Cl.	O.	N.	H. & Dur.	Col. of Fl.	Hght.	M. of Flow.	Price.
No.		Li.	Li.	O.	N.	H. & Dur.	Col. of Fl.	Hght.	M. of Flow.
364	Godetia tenuifolia	<i>fine-leaved</i>	8	25	117	ha	vio.	1	7-8
365	viminea	<i>twiggy</i>	...	...	...	...	li.	3	...
366	vinosa	<i>wine-coloured</i>	...	...	...	...	l. p.	1	...
367	Wildenowii	<i>Wildenow's</i>	...	...	...	...	fl.	...	...
368	— — —	<i>Nos. 354 to 367</i>	...	...	...	...	...	...	3 0
369	Gompholobium, 4 sp.	<i>(4 fine species)</i>	10	...	102	G.	yel.	2	1 6
370	Gardouia, sp. ex Coq.	<i>(Chilean species)</i>	14	59	101	...	...	...	1 0
371	Gossypium egyptiacum?	<i>(Egyp. Cotton)</i>	16	48	111	S.	...	3	7-9
372	herbaceum	<i>herbaceous</i>	...	...	...	...	yel.	...	...
373	— rubro-album	<i>— red and white</i>	...	...	...	...	...	...	...
374	Grindelia, sp. ex Argueros	<i>(Chilean species)</i>	19	54	82	hlp†	wh.	1	1 0
375	Grislea tomentosa	<i>woolly (fine)</i>	8	25	108	S.	red	3	5-6
376	Gypsophila elegans	<i>elegant</i>	10	26	136	lia	w&p	3	7-8
377	Hedysarum, 4 sp.	<i>(4 Indian sp.)</i>	17	45	102	hgh	div.	2½	6-8
378	Helianthemum, pl. var.	<i>(beautiful mixed)</i>	13	25	79	hpt†	...	1	...
379	Helianthus, sp. ex Huasco	<i>(Chilean species)</i>	19	55	82	h	...	...	...
380	Heliophila araboides	<i>Arabis-like</i>	15	61	85	hha	bl.	3	...
381	Heliotropium peruvian.	<i>Peruvian</i>	5	25	72	G.	...	2½	5-9
382	sp. ex Coquimbo	<i>(Chilean species)</i>	...	...	...	...	wh.	...	...
383	Hibiscus africanus	<i>African</i>	16	48	111	hha	s&b.	2	7-8
384	Humboldtii	<i>Humboldt's</i>	...	...	...	...	y&b.	...	...
385	Richardsonii	<i>Richardson's</i>	...	...	...	...	...	...	...
386	Triënum	<i>(Blader Kelmia)</i>	...	...	...	...	...	...	...
387	vesicarius	<i>bladder (flowd.)</i>	...	...	...	...	...	...	...
388	— — —	<i>Nos. 383 to 387</i>	...	...	...	...	...	...	...
389	palustris	<i>marsh (fine)</i>	...	...	...	hpt†	...	3	6-9
390	Manihot	<i>Manihot</i>	...	...	...	hgh	sul.	...	...
391	macrophyllus	<i>long-leaved</i>	...	...	...	...	yel.	10	...
392	mutabilis	<i>variable</i>	...	...	...	...	var.	...	...
393	rigidus	<i>rigid</i>	...	...	...	...	...	...	...
394	tortuosus	<i>twisted</i>	...	...	...	...	...	...	...
395	violaceus	<i>violet</i>	...	...	...	...	...	...	...
396	— — —	<i>Nos. 390 to 395</i>	...	...	...	...	...	...	...
397	— — —	<i>5 sp. mixed</i>	...	...	...	...	div.	...	...
398	Hlœva Celsi	<i>Cels's</i>	...	45	102	G.	bl.	6	...
399	sp. novæ, No. 1.	<i>new sp. Na. 1.</i>	...	...	...	...	...	5-8	...
400	sp. novæ, No. 2.	<i>new sp. No. 2.</i>	...	...	...	...	...	...	...
401	5 sp.	<i>(5 fine sp. mixed)</i>	...	...	...	...	div.	...	...
402	Hlœva elegans [fœlia]	<i>elegant</i>	19	53	82	hhp	red	...	6-9
403	Hunnemania fumariæ-	<i>Fumaria-leaved</i>	13	25	120	hpt†	yel.	2	7-8
404	Hymenocallis, sp.	<i>(fine sp. frag.)</i>	6	...	64	G.	wh.	...	...
405	Iberis Tenoreana	<i>Tenore's</i>	15	60	85	hpt†	p&p.	3	6-8
406	Impatiens tricornis	<i>three-horned</i>	5	25	69	lh	yel.	2½	7-9
407	glanduligera	<i>glandular</i>	...	...	...	...	pur.	...	...
408	Indigofera cytisoides	<i>Cytisus-like</i>	17	45	102	G.	red	3	...
409	Ipomœa bona nox**	<i>Good Night!</i>	5	25	83	hgh	wh.	10	...
410	coccinea**	<i>scarlet</i>	...	...	...	G.	sc.	4	...
411	Learii**	<i>Lear's</i>	...	...	...	hgh	pur.	8	...
412	polyanthes**	<i>many-flowered</i>	...	...	...	S.	sul.	20	...
413	Quandœlit**	<i>(bright scarlet)</i>	...	...	...	hgh	sc.	4	...



<i>A</i> —indicates a variety. () That the word is not literally translated, or is superadded.			C.	L.	N.	H. & Dur.	Col. of Fl.	Hght.	M. of Flow.	Price.
No.			L.	L.	N.	H. & Dur.	Col. of Fl.	feet		s. d.
414	<i>Ipomæa rubro-cærulæa</i> **	(sky-blue)	5	25	83	G.	bl.	10	7-9	2 6
415	<i>Scellöwii</i> **	Sellow's	...	...	...	...	...	...	...	2 6
416	4 sp. <i>occidentalis</i> **	(4 fine species)	...	...	...	S.	div.	...	...	2 6
417	<i>Nil</i> **	(blue-flowered)	...	...	...	hha	bl.	...	...	6
418	<i>purpurea grandiflora</i>	large purple**	...	...	...	...	pur.	...	...	1 0
419	— — —	[picta Nos. 409 to 418	...	...	...	...	...	...	...	12s
420	<i>Ipomopsis elegans</i> aud	elegant and p.	...	...	123	hhp†	sc.	3	...	1 0
421	<i>Kennedia prostrata</i> **	prostrate	17	45	102	G.	...	tra.	6-9	6
422	<i>rubicunda</i> **	blushing	...	...	...	...	red	8	...	6
423	sp. <i>cærulæa</i> **	blue	...	...	...	...	bluc	...	...	1 0
424	sp. <i>coccinea</i> **	scarlet	...	...	...	...	sc.	...	...	1 0
425	<i>Kaulfussia amelloides</i>	Ameltus-like	19	54	82	hha	bl.	1	7-8	3
426	<i>Lantana Scloviàna</i>	Sellow's	14	59	146	hhp†	pur.	1½	6-9	6
427	<i>Lasthènia</i> , 2 sp.	2 species	19	54	82	ha	ycl.	2	7-8	6
428	<i>Láthyros azureus</i>	azure	17	45	102	...	bl.	2	...	4
429	<i>latifolius</i> **	broad-leaved	...	...	...	hp†	pink	8	6-8	3
430	— <i>albus</i> **	— white	...	...	...	...	wh.	...	...	3
431	<i>sphæricus</i>	sphericat	...	...	...	...	cr.	2	...	3
432	<i>Lavatera arborea</i>	tree	16	48	111	hp	pur.	6	...	3
433	<i>Salvitellensis</i>	Salvitella	...	...	...	ha	pink	2	...	3
434	<i>Lawsonia alba</i> **	(Mignonette tree)	8	25	108	hgh	wh.	8	...	1 0
435	<i>Leptósiphon densiflorus</i>	thick-flowered	5	...	123	ha	pur.	1	...	4
436	<i>androsæcens</i>	Androsæce-like	...	...	...	...	b&w	¾	...	4
437	— <i>albus</i>	— white	...	...	...	...	wh.	...	...	4
438	<i>Leucadendron argenteum</i>	(Silver Tree)	22	39	128	G.	ycl.	12	7-9	6
439	<i>plumòsum</i> [pum	feathery	...	...	...	...	...	...	...	6
440	<i>Leucospermum conocar-</i>	cone-fruited	4	25	128	...	...	...	...	6
441	<i>Limnanthes Douglassii</i>	Douglas's	10	...	104	ha	w&y	...	7-8	4
442	<i>Linaria alpina</i>	alpine	14	59	134	fp†	bl.	1	7-8	4
443	<i>Perèzii</i>	Perez'	...	...	...	ha	...	...	...	4
444	<i>triphylla</i>	three-leaved	...	...	...	...	y&p	...	...	3
445	— — —	(7 pretty sp.)	...	...	...	...	div.	...	...	1 6
446	<i>Linum austriacum</i>	Austrian	5	30	105	hp†	bl.	2	...	3
447	<i>monógynum</i>	one-styled	...	...	...	G.	wh.	3	...	6
448	<i>Lisianthus Russellianus</i>	(D. of Bedford's)	...	25	93	...	pur.	...	...	1 0
449	<i>Loasa tricolor</i>	three-coloured	18	48	106	ha	3-co.	2	7-9	3
450	<i>lateritia</i> **	(orange)	...	...	...	hhp†	or.	6	...	6
451	<i>lúcida, nòva</i> **	shining, new	...	...	...	...	ycl.	...	...	2 6
452	<i>Herberti</i> **	Hon. W. Herbert's	...	...	...	...	...	...	...	6
453	<i>Pentlandia</i>	Mr. Pentland's	...	...	...	...	...	...	...	6
454	— — —	Nos. 449 to 453	...	...	...	...	...	...	...	3 6
455	<i>Lobelia azurea</i>	azure	5	25	107	hhp†	bl.	1	5-9	4
456	<i>erinoides</i>	Erinus-like	...	...	...	...	...	½	6-8	4
457	<i>gracilis et alba</i>	slender, 2 var.	...	...	...	ha	b&w	1	7-9	6
458	<i>propinqua</i>	related	...	...	...	...	sc.	4	...	6
459	sp. ex Coquimbo	(sp. Chile, No. 1.)	...	...	...	hhp	pur.	3	...	1 0
460	sp. <i>nòva superba</i>	(sp. Chile, No. 2.)	...	...	...	...	...	...	...	2 6
461	— — —	[cens No. 455 to 460	...	...	...	...	...	...	...	4 0
462	<i>Lophospermum erubesc-</i>	blushing	14	59	134	G.†	pur.	...	7-9	4
463	<i>atrosanguineum</i> **	(Rhodochiton)	...	...	...	...	d. r.	10	...	6



<i>A — indicates a variety. ( ) That the word is not literally translated, or is superadded.</i>		L.	L.	N.	H.	Col.	Hght.	M. of	Price.
No.		L.	O.	O.	Dur.	of fl.	feet	Flow.	s. d.
464	Lophospermum scandens <i>climbing**</i>	14	59	134	G.†	bl.	10	7-9	4
465	— spectabile** — (new showy)	...	...	...	...	spot	...	...	6
466	— Hendersonii**	...	...	...	...	rose	...	1 0	...
467	— — — Nos. 462 to 466	...	...	...	...	...	...	2 6	...
468	Lötus jacobæus <i>St. James' Island</i>	17	45	102	...	dark	1	...	6
469	Lupinus bicolor <i>two-coloured</i>	16	...	...	ha	p&b.	...	...	3
470	Hartwegii <i>Hartweg's</i>	...	...	...	...	b&w	2	...	4
471	mexicanus <i>Mexican</i>	...	...	...	...	bl.	1½	...	3
472	mutabilis <i>variable</i>	...	...	...	...	b & y	3	...	3
473	— Cruikshanksii <i>Cruikshanks</i>	...	...	...	...	var.	...	...	3
474	nanus <i>dwarf</i>	...	...	...	...	p & b	1	...	3
475	— — — Nos. 469 to 474	...	...	...	...	...	...	1 6	...
476	arboreus <i>tree</i>	...	...	...	hp†	ycl.	4	...	4
477	elegans <i>elegant</i>	...	...	...	...	b & r.	2	...	6
478	ornatus <i>ornamented</i>	...	...	...	...	lil.	...	...	6
479	— — — 12 fine per. sp.	...	...	...	...	...	...	3 6	...
480	— — — very fine mixed	...	...	...	...	div.	...	...	6
481	Lychuis fulgens <i>shining</i>	10	30	136	hbp†	sc.	1	6-8	6
482	chalcedonica (scarlet)	...	...	...	hp†	...	2	7-9	3
483	— alba et rosea — white and rose	...	...	...	...	w&r.	...	...	6
484	cæli-rosa <i>Rose of Heaven</i>	...	...	...	ha	flh.	1	7-8	3
485	Málope trifida v. No. 1043 <i>trifid</i>	16	48	111	hha	pur.	2	7-9	3
486	Malva elegans <i>elegant</i>	16	...	...	G.	sc.	3	5-8	6
487	Monroana <i>Mouro's</i>	...	...	...	hp†	...	2	7-8	6
488	Moreni <i>Moreni's</i>	...	...	...	...	red	...	7-9	4
489	zebrina? <i>zebra (striped)</i>	...	...	...	ha	stri.	3	...	6
490	sp. ex Coquimbo (sp. Chile)	...	...	...	hh	...	...	...	6
491	Martýnia diandra <i>two-athered</i>	14	59	135	gha	sp.	1½	...	1 0
492	fragens <i>fragrant</i>	...	...	...	...	...	...	2 6	...
493	proboscidea [ros] <i>proboscis-like</i>	...	...	...	...	p&b.	...	...	6
494	Matthewsia? 2 sp. Arguè- (2 sp. Chile)	...	...	...	...	...	...	1 0	...
495	Mahonia (Berberis) <i>two fine sp.</i>	6	25	70	hp	ycl.	4	4-6	1 0
496	Maurandya Barclayana <i>Barclay's**</i>	14	59	134	G.†	p&w	10	4-9	6
497	antirrhiniflora** <i>Snapdragon-flow.</i>	...	...	...	...	b&w	...	...	6
498	semperflorens** <i>ever-flowering</i>	...	...	...	...	pink	...	...	6
499	— rosea nova** — new rose	...	...	...	...	rose	...	1 0	...
500	— — — Nos. 496 to 499	...	...	...	...	...	...	2 0	...
501	Melastoma macrocarpa <i>long-fruited</i>	10	25	...	S.	pur.	6	6-8	1 0
502	Mesembrianthemum <i>tricolor, ext.</i>	12	27	90	hha	3 co.	1	7-9	6
503	Mimosa, 3 sp. (3 fine sp.)	23	51	102	S.	...	...	...	1 0
504	Mimulus moschatus <i>musk</i>	14	59	134	hhp†	ycl.	¾	6-9	6
505	cardinalis <i>cardinal</i>	...	...	...	...	sc.	2	...	4
506	— — — 6 fine sp. and var.	...	...	...	...	div.	1	...	2 0
507	— — — fine mixed	...	...	...	...	...	...	...	6
508	Muraltia lleisteria <i>Heister's</i>	17	43	124	G.	pur.	6	2-6	6
509	Nelumbium speciosum <i>showy (aquatic)</i>	13	35	...	S.	red tra.	6-9	2 6	...
510	— albiflorum — white "	...	...	...	...	wh.	...	2 6	...
511	Nemësia floribunda <i>bunch-flowered</i>	14	59	134	hha	w&y	¾	7-9	6
512	Nemóphila aurita <i>ear (leaved)</i>	5	25	98	ha	vio.	2½	...	4
513	atomaria <i>spotted (white)</i>	...	...	...	...	sp.	1	7-8	3

<i>A — indicates a variety. ( ) That the word is not literally translated, or is superadded.</i>			Cl.	O.	N.	H. & Dur.	Col. of Fl.	Hght.	M. of Flow.	Price.
No.			L.	L.	N.	H. & Dur.	Col. of Fl.	Hght.	M. of Flow.	Price.
514	Nemóphila atom. azúrea	spotted azure	5	25	98	ha	sp.	1	7-8	6
515	insignis	beautiful	...	...	...	...	bl.	...	...	3
516	— grandiflora	large-flowered	...	...	...	...	...	...	...	3
517	phaecelioides	Phaelia-like	...	...	...	...	...	1½	...	4
518	hybrida, nova	new Hybrid	...	...	...	...	...	1	...	1 0
519	— — —	Nos. 512 to 518	...	...	...	...	...	...	...	2 6
520	Nolane atriplicifolia	Atriplex-leaved	...	...	137	hha	bl.	1	...	3
521	paradoxa	paradoxical	...	...	...	...	...	...	...	3
522	prostrata	prostrate	...	...	...	...	vio.	1a.	...	3
523	sp. ex Coquimbo	Chilean, sp. No. 1.	...	...	...	...	d. bl.	...	...	1 0
524	sp. alba grandiflora	— No. 2.	...	...	...	hh?	wh.	...	...	1 6
525	sp. ex Huasco	— No. 3.	...	...	...	...	...	...	...	1 6
526	sp. ex Andacolla	— No. 4.	...	...	...	...	...	...	...	1 0
527	sp. ex Huasco	— No. 5.	...	...	...	...	...	...	...	1 6
528	sp. ex Villa Vicuña	— No. 6.	...	...	...	...	...	...	...	1 6
529	— — —	Nos. 520 to 528	...	...	...	...	...	...	...	7 0
530	Nouca rosca	rose-coloured	...	...	72	hha	rose	1½	7-8	6
531	Nymphaea cyanea	sky-blue (aquatic)	13	...	116	S.	bl.	tra.	6-9	1 6
532	Lótus	(Egypt. Lotus)	...	...	...	...	pink	...	...	1 6
533	scutifolia	shield-leaved	...	...	...	...	bl.	...	...	1 6
534	Clenothera acutis	stemless	8	...	117	hhp†	wh.	½	7-9	4
535	Drummondii	Drummond's	...	...	...	...	yel.	t. a.	6-9	4
536	longiflora	long-flowered	...	...	...	hb†	...	1½	...	4
537	macrocarpa	long-fruited	...	...	...	hp†	...	1	...	6
538	odorata	sweet-scented	...	...	...	hb†	...	2	5-8	4
539	taraxacifolia	Dandelion-leaved	...	...	...	hp†	...	½	6-9	6
540	speciosa	showy	...	...	...	...	wh.	1½	7-9	6
541	tetraptera	four-winged	...	...	...	ha	...	1	7-8	3
542	— — —	Nos. 534 to 541	...	...	...	...	...	...	...	2 6
543	Ononis rotundifolia	round-leaved	16	45	102	hp	pink	2	5-7	6
544	Opuntia vulgaris	(Cochinilla Plant)	12	25	75	G.	yel.	...	6-8	1 0
545	Oxalis floribunda	bunch-flowered	10	30	118	hhp†	red	1	...	6
546	rosca	[des] rose-coloured	...	...	...	...	rose	...	...	6
547	Oxyura chrysanthemoides	Chrysanth-like	19	54	82	ha	y & w	...	7-9	4
548	Pæonia, sp.	(fine mixed)	13	26	129	hp	div.	2	6-9	6
549	Papaver nudicaule	naked-stalked	...	25	120	hp†	yel.	1½	...	4
550	alpinum	alpine	...	...	...	...	sul.	1	...	4
551	pulcherrimum	most beautiful	...	...	...	...	sc.	3	...	4
552	— — —	6 fine sp. sep.	...	...	...	...	div.	...	...	1 6
553	Patersonia, sp. N. Hol.	New Holland sp.	16	38	100	fp.	...	...	...	1 0
554	Passiflora laurifolia**	laurel-leaved	...	40	121	S.	...	...	...	1 0
555	Mayana**	May's	...	...	...	G.	wh.	20	5-9	1 0
556	— — —	fine mixed	...	...	...	G.	div.	...	...	1 0
557	Pelargonium (Geranium)	(finest mixed)	...	42	94	G.	...	3	...	2 6
558	— — —	small packet	...	...	...	...	...	...	...	1 0
559	— coccineum 6 v.	scarlet, 6 finest	...	...	...	...	sc.	...	...	1 0
560	Pentstemon atrorubens	dark-red	14	59	134	hp†	d. r.	2	6-9	4
561	atropurpureum	dark-purple	...	...	...	...	d. p.	...	...	4
562	campanulatum	belt-flowered	...	...	...	...	pur.	...	...	4
563	Chandleri	Chandler's	...	...	...	...	var.	...	...	6

*A* — indicates a variety. () That the word is not literally translated, or is superadded.

No.			L.	Cl.	O.	N.	O.	H. & Dur.	Col. of Fl.	Hght.	M. of Flow.	Price.
564	<i>Penstemon diffusum</i>	<i>diffuse</i>	14	59	134	hpt	pur.	2	6-9	1	s. d.	4
565	<i>digitalis</i>	<i>Digitalis-like</i>	...	...	...	...	wh.	...	...	...	...	4
566	<i>gentianoides</i>	<i>Gentian-like</i>	...	...	...	...	cr.	...	...	...	...	4
567	— <i>coccineum</i>	— <i>scarlet</i>	...	...	...	...	sc.	...	...	...	...	6
568	<i>pulchellum</i> , 3 var.	<i>pretty</i> , 3 var.	...	...	...	...	div.	...	...	...	...	6
569	<i>roseum</i>	<i>rose</i>	...	...	...	...	rose	...	...	...	...	4
570	<i>speciosum</i>	<i>showy</i>	...	...	...	...	bl.	...	...	...	...	1 0
571	— — —	<i>Nos. 560 to 570</i>	...	...	...	...	div.	...	...	...	...	4 0
572	— — —	<i>fine mixed</i>	...	...	...	...	...	...	...	...	...	1 0
573	<i>Petunia phœnicea</i>	<i>purple</i>	5	25	137	hhpt	pur.	2½	...	...	...	1 0
574	— <i>alba grandiflora</i>	<i>large white fld.</i>	...	...	...	...	wh.	...	...	...	...	6 15
575	— <i>rosea</i>	<i>rose</i>	...	...	...	...	rose	...	...	...	...	6
576	— <i>violacea</i>	<i>violet</i>	...	...	...	...	vio.	...	...	...	...	6
577	<i>nyctaginiflora</i>	<i>white</i>	...	...	...	...	wh.	...	...	...	...	3
578	— — —	<i>12 var. separate</i>	...	...	...	...	div.	...	...	...	...	5 0
579	— — —	<i>extra fine mixed</i>	...	...	...	...	...	...	...	...	...	1 0
580	— — —	<i>fine mixed</i>	...	...	...	...	...	...	...	...	...	6
581	<i>Phacelia congesta</i>	<i>bunch-flowered</i>	...	...	98	ha	bl.	2	7-8	3 3	...	6
582	<i>conspicua</i>	<i>conspicuous</i>	...	...	...	...	...	...	...	...	...	6
583	<i>tanacetifolia</i>	<i>Tansy-leaved</i>	...	...	...	...	...	...	...	...	...	3
584	<i>Physianthus albens</i>	<i>white</i>	...	26	68	ghp	wh.	8	5-9	1 0	...	6
585	<i>Pinnæla decussata</i>	<i>decussate</i>	2	25	141	G.	rose	2	5-6	6	...	6
586	— — — [cum]	<i>3 fine sp. mixed</i>	...	...	...	...	div.	3	5-7	1 6	...	6
587	<i>Platystemon californi-</i>	<i>Californian</i>	13	...	120	ha	yel.	½	6-8	6	...	6
588	<i>Phlox Drummondii</i> , 20 v.	<i>Drummond's</i>	5	...	123	hha	div.	1½	7-9	1 0	...	6
589	— <i>coccinea</i>	— <i>scarlet</i>	...	...	...	...	sc.	...	...	...	...	1 0
590	<i>pl. sp. perennans</i>	<i>perennial mixed</i>	...	...	...	hp	div.	2	6-8	6	...	6
591	<i>Podolœpis gracilis</i>	<i>slender</i>	19	54	82	hha	p&w	1	7-8	3	...	6
592	<i>Poinciana pulcherrima</i>	<i>most beautiful</i>	10	25	102	S.	3col.	10	6-9	1 0	...	6
593	— <i>flœre-lutea</i>	<i>yellow-flowered</i>	...	...	...	...	yel.	...	...	...	...	1 0
594	<i>sp. ex Chile</i>	<i>(Algarrobella)</i>	...	...	...	G.	pur.	...	...	...	...	2 6
595	<i>Potentilla formosa</i>	<i>beautiful</i>	12	35	131	hpt	...	1½	6-9	3	...	6
596	<i>atrosanguinea</i>	<i>dark-red</i>	...	...	...	...	d. r.	1	...	3	...	6
597	<i>6 sp.</i>	<i>(6 fine species)</i>	...	...	...	...	div.	...	...	...	...	1 6
598	<i>Portulaca splendens</i>	<i>splendid</i>	11	25	126	hha	...	...	7-9	1 0	...	6
599	<i>Thellusoni</i>	<i>Thelluson's</i>	...	...	...	...	sc.	...	...	...	...	1 0
600	<i>Prœtea</i> , 3 sp.	<i>three species</i>	4	...	128	G.	div.	...	...	...	...	1 0
601	<i>Psoralea</i> , sp. <i>capensis</i>	<i>Cape species</i>	17	45	102	...	bl.	2	7-8	6	...	6
602	<i>Primula cortusoides</i>	<i>Cortusa-like</i>	5	25	127	hpt	red	¾	5-8	6	...	6
603	<i>sincensis fimbriata</i>	<i>Chinese, fringed</i>	...	...	...	G.	r&w	...	...	...	...	1 0
604	<i>Ramonda pyrenæica</i>	<i>Pyrenean</i>	...	...	137	hp	pur.	½	5-6	3	...	6
605	<i>Rhodanthe Manglesii</i>	<i>Capl. Mangles's</i>	19	54	82	hha	rose	1½	7-8	6	...	6
606	— <i>semiplœna</i>	— <i>semi-double</i>	...	...	...	...	...	...	...	...	...	6
607	<i>sp. cyanea</i>	<i>sky-blue</i>	...	...	...	...	bl.	...	...	...	...	2 6
608	<i>Rudbeckia elegans</i>	<i>elegant</i>	...	55	...	hpt	yel.	2	7-8	6	...	6
609	<i>Salpiglossis atropurpurea</i>	<i>dark-purple</i>	14	59	137	hbbt	d. p.	...	6-9	6	...	6
610	<i>picta</i>	<i>painted</i>	...	...	...	...	var.	...	...	...	...	6
611	— — —	<i>splendid mixed</i>	...	...	...	...	div.	...	...	...	...	1 0
612	<i>Saponaria calabrica</i>	<i>Calabrian</i>	10	26	136	ha	pink	¾	7-9	6	...	6
613	<i>ocymoides</i>	<i>Ocyma-like</i>	...	...	...	hpt	...	...	5-9	6	...	6

<i>A — indicates a variety. () That the word is not literally translated, or is superadded.</i>			Cl.	O.	O.	H.	Dur.	Col. of Fl.	Hght.	M. of Flow.	Price.
No.			L.	L.	N.	H.	Dur.	Col. of Fl.	feet		s. d.
614	<i>Salvia bicolor</i>	<i>two-coloured</i>	2	25	101	hlp†	b&w	3	6-9	4	
615	<i>coccinea</i>	<i>scarlet</i>	...	...	...	...	sc.	2	...	4	
616	<i>limbata</i>	<i>bordered</i>	...	...	...	...	bor.	2½	...	4	
617	<i>patens</i>	<i>spreading (extra)</i>	...	...	...	...	bl.	...	...	1 0	
618	<i>Tenorei</i>	<i>Tenore's</i>	...	...	...	...	...	2	...	4	
619	— — —	<i>Nos. 614 to 619</i>	...	...	...	...	...	...	...	2 0	
620	<i>Sanvitiæ procumbens</i>	<i>procumbent</i>	19	51	82	hha	yel.	tra.	6-9	4	
621	<i>Scabiosa elegans</i>	<i>elegant</i>	4	25	87	hp	bl.	2	7-9	6	
622	<i>sp. capensis</i>	<i>Cape sp.</i>	...	...	...	...	yel.	...	...	6	
623	<i>Schizanthus Grahami</i>	<i>Graham's</i>	14	59	134	hbb†	l&y.	3	...	6	
624	<i>retusus</i>	<i>blunt-leaved</i>	...	...	...	...	c&y.	2	...	6	
625	— <i>superbus</i>	— <i>superb (new)</i>	...	...	...	...	s&y.	...	...	1 6	
626	<i>pinnatus</i>	<i>pinnate</i>	...	...	...	hha	l.p.y	1½	7-8	3	
627	— <i>humilis</i>	<i>dwarf</i>	...	...	...	...	l.r.y.	1	...	3	
628	— <i>porrigens</i>	<i>spreading</i>	...	...	...	...	l.p.y.	...	...	3	
629	— <i>Priestii</i>	<i>Priest's</i>	...	...	...	...	w&y.	...	...	3	
630	— <i>putchellus</i>	<i>pretty</i>	...	...	...	...	w&p	...	...	3	
631	— <i>venustus</i>	<i>beautiful</i>	...	...	...	...	var.	...	...	4	
632	<i>nivalis, nova</i>	<i>snow-white, new</i>	...	...	...	...	wh.	...	...	1 0	
633	— — —	<i>Nos. 623 to 632</i>	...	...	...	...	div.	...	...	4 0	
634	— — —	<i>fine mixed</i>	...	...	...	...	...	...	...	6	
635	<i>Schizopetalon Walkeri</i>	<i>Walker's</i>	15	61	85	hba	wh.	1	7-9	6	
636	<i>Scutellaria alpina</i>	<i>alpine</i>	14	58	101	hpt†	b&w	¾	1-8	3	
637	<i>garganica</i>	<i>Garganian</i>	...	...	...	...	...	...	...	6	
638	<i>Schultesia, sp.</i>	<i>(fine species)</i>	4	25	93	G.	...	...	...	6	
639	<i>Silene ornata</i>	<i>ornamented</i>	10	28	136	ha	pur.	1	7-8	3	
640	<i>pendula</i>	<i>pendulous</i>	...	...	...	...	rose	...	...	3	
641	<i>sibirica coccinea</i>	<i>scarlet</i>	...	...	...	hpt†	sc.	1½	6-9	3	
642	<i>Solanum, sp. Copiapo</i>	<i>(Chilean species)</i>	5	25	137	lh	...	...	...	1 0	
643	<i>Sisyrinchium, 2 sp.</i>	<i>(two fine species)</i>	3	...	100	hp	bl.	1	...	1 0	
644	<i>Sollya heterophylla**</i>	<i>various-leaved</i>	5	...	122	G.	...	6	...	6	
645	<i>sp. Novæ Hollandiæ</i>	<i>New Holland sp.</i>	...	...	...	...	...	...	...	1 0	
646	<i>Sôphora havaeensis</i>	<i>Havannah</i>	10	...	102	S.	yel.	3	7-9	6	
647	<i>sp. Anguilla</i>	<i>Anguilla</i>	...	...	...	G.	...	...	...	1 0	
648	<i>Sphaenogyne speciosa</i>	<i>showy (extra)</i>	19	55	82	hha	y&b.	1½	...	6	
649	<i>Stachys coccinea</i>	<i>scarlet</i>	14	58	101	hpt†	sc.	1	6-8	1 0	
650	<i>speciosa</i>	<i>showy</i>	...	...	...	...	...	...	...	1 0	
651	<i>Stenactis speciosa</i>	<i>showy</i>	19	54	82	...	pur.	2	...	3	
652	<i>Sutherlandia frutescens</i>	<i>shrubby</i>	17	45	102	hbp†	sc.	3	...	3	
653	<i>Streptocarpus Rexii</i>	<i>Rex's</i>	2	25	71	G.	bl.	½	...	6	
654	<i>Stylidium fasciculatum</i>	<i>bundle-flowered</i>	20	37	140	...	pink	...	7-9	6	
655	<i>Tagetes lucida</i>	<i>shining</i>	19	54	82	...	yel.	1	...	4	
656	<i>Tecoma stans</i>	<i>upright</i>	14	59	71	hhp	...	10	...	6	
657	<i>radicans**</i>	<i>rooting</i>	...	...	...	...	or.	15	...	6	
658	<i>Tephrosia amœna</i>	<i>pleasing</i>	17	45	102	S.	2	...	...	6	
659	<i>Thunbergia alata**</i>	<i>winged</i>	2	25	62	gha	buff	5	6-9	6	
660	— <i>alba**</i>	<i>white (eyed)</i>	...	...	...	...	w&b	...	...	6	
661	— <i>aurantiaca**</i>	<i>orange</i>	...	...	...	...	or.	...	...	6	
662	— <i>Barkeri**</i>	<i>(entirely white)</i>	...	...	...	...	wh.	...	...	6	
663	<i>Thysanotus, sp. Novæ H.</i>	<i>(fine sp. New H.)</i>	6	25	103	G.	pur.	...	6-8	1 0	



<i>A — indicates a variety. ( ) That the word is not literally translated, or is superadded.</i>		Cl.	L.	O.	N.	O.	H. & Dur.	Col. of Fl.	Hght.	M. of Flow.	Price.
No.									feet		s. d.
664	<i>Tigrídia pavonia</i>	<i>Peacock</i>	16	38	100		hlp	o & r.	1	7-9	6
665	<i>Tithonia tagetiflora</i>	<i>Marigold-flowd.</i>	19	55	82	G.	yel.	bl.	4	...	6
666	<i>Trachelium cæruleum</i>	<i>blue</i>	5	25	76		hlp†	bl.	2	7-8	4
667	<i>Trixis senecioides</i>	<i>Senecio-like</i>	19	56	82		hha	wh.	1½	...	6
668	<i>Tropæolum brachyceras</i>	<i>short-horned**</i>	8	25	143	G.	yel.		6	6-9	1 0
669	<i>Jarattii**</i>	<i>Mr. Jarratt's</i>	...	...	...	...	s & y.	...	...	...	1 6
670	<i>pentaphyllum**</i>	<i>five-leaved</i>	...	...	...	...	o & y.	...	...	...	6
671	<i>peregrinum**</i>	<i>(Canary Bird)</i>	...	...	...	...	yel.	...	...	7-9	6
672	<i>tricolorum**</i>	<i>three-coloured</i>	...	...	...	...	o & p.	...	...	6-9	1 0
673	— — —	<i>Nos. 668 to 672</i>	...	...	...	...	div.	...	...	...	4 0
674	<i>Tweedia cærulea</i>	<i>blue</i>	5	26	68		hlp	bl.	3	7-8	6
675	<i>Verbascum Lagurus</i>	<i>Lagurus</i>	...	25	137		hp†		2	7-9	6
676	<i>formosum</i>	<i>beautiful</i>	...	...	...	...	yel.	...	...	...	3
677	<i>speciosum</i>	<i>showy</i>	...	...	...	...		...	...	...	3
678	<i>Verbena Aubletia</i>	<i>Aublet's</i>	14	59	146		hbb†	li.	1	6-9	6
679	<i>pulehella</i>	<i>pretty</i>	...	...	...	...		bl.	...	...	6
680	<i>venosa</i>	<i>veined</i>	...	...	...	...		rose	...	...	6
681	<i>sp. ex Coquimbo</i>	<i>(fine sp. Chile)</i>	...	...	...	...			...	...	1 0
682	— — —	<i>extra fine 10 var.</i>	...	...	...	...		s & c.	...	...	1 6
683	— — —	<i>Nos. 678 to 681</i>	...	...	...	...		div.	...	...	3 6
684	<i>Vicia Nissolia</i>	<i>Nissol's</i>	17	45	102		ha	pur.	3	7-8	3
685	<i>Vinea rosea</i> et var. alba	<i>rose and white</i>	5	25	66	S.		r & w.	1	3-9	1 0
686	<i>Zinnia elegans</i>	<i>elegant</i>	19	54	82		hha	vio.	2	7-9	6
687	— alba	<i>— white</i>	...	...	...	...		wh.	...	...	6
688	— atrococcinea	<i>— dark scarlet</i>	...	...	...	...		d. s.	...	...	6
689	— atropurpurea	<i>— dark purple</i>	...	...	...	...		d. p.	...	...	6
690	— coccinea	<i>— scarlet</i>	...	...	...	...		sc.	...	...	6
691	— purpurea	<i>— purple</i>	...	...	...	...		pur.	...	...	6
692	— lutea	<i>— yellow</i>	...	...	...	...		yel.	...	...	6
693	— — —	<i>splendid mixed</i>	...	...	...	...		div.	...	...	1 0
694	— — —	<i>Nos. 686 to 693</i>	...	...	...	...			...	...	4 0
695	<i>Zinnia aurea</i>	<i>golden</i>	...	...	...	...		p. y.	...	...	3
696	<i>grandiflora</i>	<i>large-flowered</i>	...	...	...	...		red	...	...	3
697	6 sp.	<i>6 sp. mixed</i>	...	...	...	...		div.	...	...	6

*New and rare Seeds from Chile, &c.*

	£	s.	d.
698 50 species from the North of Chile, comprising many new	2	10	0
699 A fine new Annual from Swan River, blue		2	6
700 " " " " Coquimbo, yellow		2	6
701 " " " " Argueros, purple		2	6
702 " " " " — blue		2	6
703 A climbing Perennial from Swan River, blue		1	6
704 A fragrant Perennial from Argueros, white		1	0
705 Cruciferae sp. fine No. 1. from Coquimbo Bay		1	0
706 Cruciferae sp. fine No. 2. from Elgui (Chile)		1	0
707 Epacridaceæ, 3 sp. from Swan River		2	6
708 Leguminosæ sp. No. 1. from Swan River		1	6
709 Leguminosæ sp. No. 2. from Coquimbo		1	6
710 Leguminosæ sp. No. 3. from Maitland Island		1	6
711 Fine Shrub, No. 1. from Swan River		1	6
712 " " No. 2. from Swan River		1	6
713 Nos. 699 to 712, 14 Packets	1	0	0



The following Plants are best known by the English Names, but as the Scientific Name is requisite to show the genus to which they belong, the latter is also given. Such Popular Names as White Candytuft have no affinity with the Latin; they are, therefore, not to be considered as translations.

A — is employed to indicate varieties. — — indicate sub-varieties.			L. Cl.	L. O.	N. O.	H. & Dur.	Col. of Fl.	Hght.	M. of Flow.	Price.
No.								feet		s. d.
714	Adonis, Flos	<i>Adonis æstivâlis</i>	13	35	129	ha	se.	1	7-8	3
715	autumnal	<i>autumnâlis</i>	...	...	...	...	cr.	...	...	3
716	Aster, Chinese, m.	<i>Aster sinensis, pl. var.</i>	19	54	82	lha	div.	2	8-10	3
717	quilled (German)	— <i>fistulosus</i>	...	...	...	...	...	...	...	6
718	dark blue	— <i>atro-cæruleus</i>	...	...	...	...	d. b.	...	...	4
719	dark red	— <i>atrorubens</i>	...	...	...	...	d. r.	...	...	4
720	light blue	— <i>late-cæruleus</i>	...	...	...	...	l. b.	...	...	4
721	new Globe	— <i>globosus</i>	...	...	...	...	div.	...	...	4
722	rose	— <i>roseus</i>	...	...	...	...	rose	...	...	4
723	striped	— <i>striatus</i>	...	...	...	...	str.	...	...	4
724	white	— <i>albus</i>	...	...	...	...	wh.	...	...	4
725	Turkey	— <i>turcicus</i>	...	...	...	...	red	...	...	4
726	— new striped	— <i>striatus novus</i>	...	...	...	...	str.	...	...	4
727	Anemone-flower-	— <i>anemoneiflorus</i>	...	...	...	...	div.	...	...	4
728	pyramidal [ed	— <i>pyramidalis</i>	...	...	...	...	...	...	...	4
729	early dwarf	— <i>nanus præcox</i>	...	...	...	...	...	1	7-9	4
730	Anricula, Alpine	<i>Primula Auricula</i>	5	25	127	hp	...	½	5-7	6
731	extra fine	— — —	...	...	...	...	...	...	...	2 6
732	Balsam, fine double	<i>Balsamina hortensis</i>	...	...	69	ta	...	2	7-9	6
733	Camellia-flower'd	— <i>Camelliæflora</i>	...	...	...	...	...	...	...	6
734	flesh-coloured	— <i>carnea</i>	...	...	...	...	fl.	...	...	4
735	rose	— <i>rosea</i>	...	...	...	...	rose	...	...	4
736	violet	— <i>violacea</i>	...	...	...	...	vio.	...	...	4
737	scarlet, 2 fine var.	— <i>coccinea</i>	...	...	...	...	se.	...	...	1 0
738	new spotted	— <i>punctata nova</i>	...	...	...	...	spot.	...	...	6
739	— striped	— <i>striata nova</i>	...	...	...	...	stri.	...	...	6
740	white	— <i>alba</i>	...	...	...	...	wh.	...	...	4
741	new dwarf, 4 var.	— <i>nana nova</i>	...	...	...	...	div.	1	...	6
742	Nos. 732 to 741	— — —	...	...	...	...	...	...	...	3 0
743	Cape Marigold	<i>Calendula pluvialis</i>	19	56	82	ha	w&p	1	7-8	3
744	large or hybrid	<i>hybrida</i>	...	...	...	...	wh.	...	...	3
745	Candytuft, white	<i>Iberis amara</i>	15	60	85	...	...	...	6-8	3
746	purple	— <i>umbellata</i>	...	...	...	...	pur.	...	...	3
747	Normandy	— <i>major</i>	...	...	...	...	...	...	...	3
748	new crimson	— <i>phenicea</i>	...	...	...	...	cr.	...	...	4
749	new lilac	— <i>lilacina</i>	...	...	...	...	li.	...	...	4
750	new rocket	— <i>coronaria</i>	...	...	...	...	wh.	...	...	3
751	sweet-scented	— <i>odorata</i>	...	...	...	...	...	...	...	3
752	two-coloured	— <i>bicolor</i>	...	...	...	...	w&r.	...	...	3
753	Nos. 745 to 752	— — —	...	...	...	...	...	...	...	2 0
754	mixed	— — —	...	...	...	...	...	...	...	3
755	Capsicum, 12 var.	<i>Capsicum annuum</i>	5	25	137	ta	fd.	2	7-9	1 0
756	Carnation, mixed	<i>Dianthus Caryophyt.</i>	10	26	136	hp	div.	...	6-8	3
757	double	— — — [lus	...	...	...	...	...	...	...	1 0
758	finest German	— — —	...	...	...	hlp	...	...	...	2 6

<i>A — is employed to indicate varieties.</i>			L. Cl.	L. O.	N. O.	H. & Dur.	Col. of Fl.	Hght.	M. of Flow.	Price.
No.								feet		s. d.
759	Carnation, Picotee	<i>Dianthus Car. var.</i>	10	26	136	hp	div.	2	6-8	6
760	finest German	— — —	...	...	...	hlp	...	...	...	1 6
761	Catchfly, Lobel's	<i>Silene Armèria</i>	...	28	...	ha	r&w.	1	...	3
762	Cockcomb, dwarf	<i>Celsia cristata, nana</i>	5	25	63	ta	cr.	...	7-9	6
763	fine Giant	— <i>gigantea</i>	...	...	...	...	...	1½	...	6
764	white-bordered	— <i>albo-eincta</i>	...	...	...	...	w&r.	1	...	6
765	yellow	— <i>lutea</i>	...	...	...	...	yel.	1½	...	6
766	fine mixed	— — —	...	...	...	...	...	...	...	6
767	Columbine, fine m.	<i>Aquilegia vulgaris</i>	13	30	129	hp	div.	2	5-7	3
768	6 fine species	— — —	...	...	...	...	...	...	...	6
769	Chrysanthemum, tr.	<i>Chrysan. carinatum</i>	19	54	82	ha	3col.	1	7-8	3
770	new golden	— <i>luteum</i>	...	...	...	...	yel.	...	...	3
771	showy	— <i>speciosum</i>	...	...	...	...	...	...	...	4
772	yel. and white m.	— <i>coronarium</i>	...	...	...	...	y&w	3	...	3
773	Nos. 769 to 772	— — —	...	...	...	...	...	...	1 0	...
774	Clary, red and pur.	<i>Salvia Horminum</i>	2	25	101	...	r&p.	1½	...	3
775	Convolvulus, minor	<i>Convolvulus tricolor</i>	5	...	83	...	bl.	tra.	6-8	3
776	white var.	— <i>albus</i>	...	...	...	...	wh.	...	...	3
777	Sicilian	— <i>siculus</i>	...	...	...	...	hl.	...	...	3
778	mixed minor	— — —	...	...	...	...	...	...	...	3
779	Nos. 775 to 778	— — —	...	...	...	...	...	...	1 0	...
780	Major mixed**	<i>Ipomæa purpurea</i>	...	...	...	hha	div.	10	7-9	3
781	ext. fine, 16 var.**	— — —	...	...	...	...	...	...	1 0	...
782	dark violet**	— <i>atroviolacea</i>	...	...	...	...	d. v.	...	...	3
783	spotted**	— <i>punctata</i>	...	...	...	...	spot.	...	...	3
784	striped**	— <i>striata</i>	...	...	...	...	str.	...	...	3
785	rose**	— <i>rosea</i>	...	...	...	...	rose	...	...	3
786	white**	— <i>alba</i>	...	...	...	...	wh.	...	...	3
787	Nos. 781 to 786	— — —	...	...	...	...	div.	...	2 0	...
788	Cowslip, fine mixed	<i>Primula vèris</i>	...	127	...	hpt	...	3/4	5-6	3
789	Cyanus, fine mixed	<i>Centaurea Cyânus</i>	19	55	82	ha	...	2	6-9	3
790	Egg Plant, purple	<i>Solanum ovigerum</i>	5	25	137	ta	vio.	...	7-9	3
791	white	— <i>leucocarpum</i>	...	...	...	...	wh.	...	...	3
792	mixed	— — —	...	...	...	...	v&w	...	...	3
793	Dahlia, fine double	<i>Dahlia, seu Georgina</i>	19	54	82	hht	div.	4	...	1 0
794	Fraxinella, red	<i>Dictamnus Fraxinella</i>	10	25	132	hp	red	3	5-7	3
795	white	— <i>flora-alba</i>	...	...	...	...	wh.	...	...	3
796	French Honeysuckle	<i>Hedysarum coronar.</i>	17	45	102	hht	red	4	6-7	3
797	white	— <i>album</i>	...	...	...	...	wh.	...	...	3
798	Globe Amaranthus,	<i>Gomphrena globosa</i>	5	25	63	ta	pur.	2	7-9	4
799	4 var.	— — —	...	...	...	...	div.	...	...	4
800	Gourds, finest mixed	<i>Cucurbita, pl. var.</i>	21	49	86	hha	y. tra.	...	...	4
801	Bottle and Club	— <i>Lagenaria</i>	...	...	...	...	...	...	...	4
802	orange	— <i>aurantia</i>	...	...	...	...	...	...	...	3
803	striped pear	— <i>ovifera, var.</i>	...	...	...	...	...	...	...	3
804	Mammoth	— <i>Pépo, var.</i>	...	...	...	...	...	...	...	4
805	Nos. 800 to 804	— — —	...	...	...	...	...	...	1 6	...
806	Blackweed, yellow	<i>Tolpis barbata</i>	19	53	82	ha	...	1	7-8	3
807	silvery	— <i>argentea</i>	...	...	...	...	sil.	...	...	3
808	purple	<i>Cræpis rubra</i>	...	...	...	...	pur.	...	...	3

<i>A — is employed to indicate varieties.</i>		L. Cl.	L. O.	N. O.	H. & Dur.	Col. of Fl.	Height.	M. of Flow.	Price.
No.							feet		s. d.
809	Hawkweed, new w.	<i>Crepis alba</i>	19	53	82	ha	wh.	1 7-8	3
810	Nos. 806 to 809	— — — —	...	...	...	...	...	...	1 0
811	Heartscase, ext. fine	<i>Viola tricolor</i> , var.	5	25	147	hpt	div.	6-9	1 0
812	Hollyhoek, fi. Germ.	<i>Althæa rosea</i> 20 var.	16	48	111	hp	rose	7	1 0
813	black	<i>nigra</i>	...	...	...	...	blk.	...	3
814	dark red	<i>atrorubens</i>	...	...	...	...	d. r.	...	3
815	pink	<i>erubescens</i>	...	...	...	...	pink	...	3
816	purple	<i>purpurea</i>	...	...	...	...	pur.	...	3
817	rose	<i>rosea</i>	...	...	...	...	rose	...	3
818	sulphur	<i>sulphurea</i>	...	...	...	...	sul.	...	3
819	white	<i>alba</i>	...	...	...	...	wh.	...	3
820	yellow	<i>lutea</i>	...	...	...	...	yel.	...	3
821	Antwerp	<i>ficifolia</i>	...	...	...	...	buff	...	3
822	Chinese	<i>chinensis</i>	...	...	...	...	vio.	3	3
823	new dwarf	— <i>pl. var.</i>	...	...	...	...	div.	...	6
824	Nos. 812 to 823	— — — —	...	...	...	...	...	...	3 6
825	Horn Poppy, 3 var.	<i>Glaucium</i> , 3 sp.	13	25	120	ha	...	2 7-8	3
826	violet	<i>Ranunculus hybrida</i>	...	...	...	...	vio.	1½	3
827	Ice Plant	<i>Mesembrianthemum</i> e.	12	27	90	lha	wh.	tra. 5-8	4
828	Jacobæa, purple	<i>Senecio elegans</i>	19	54	82	...	pur.	1½ 7-9	3
829	white	— <i>alba</i>	...	...	...	...	wh.	...	3
830	double purple	— <i>purpurea plena</i>	...	...	...	...	pur.	...	4
831	— red	— <i>rubra</i> —	...	...	...	...	red	...	4
832	— violet	— <i>violacea</i> —	...	...	...	...	vio.	...	4
833	— new brown	— <i>fusca nova</i> —	...	...	...	...	br.	...	4
834	— white	— <i>alba</i> —	...	...	...	...	wh.	...	4
835	Nos. 828 to 834	— — — —	...	...	...	...	...	...	2 0
836	fine mixed	— — — —	...	...	...	...	...	...	6
837	Larkspur, dwarf, m.	<i>Delphinium Ajacis</i>	13	28	129	ha	div.	1	3
838	— per ounce	— — — —	...	...	...	...	...	...	1 0
839	dwarf, blue-grey	<i>humile plumbeum</i>	...	...	...	...	lead	...	3
840	— blue	— <i>cæruleum</i>	...	...	...	...	bl.	...	3
841	— Quaker	— <i>cæsium</i>	...	...	...	...	grey	...	3
842	— rose	— <i>roseum</i>	...	...	...	...	rose	...	3
843	— white	— <i>album</i>	...	...	...	...	wh.	...	3
844	tall, fine mixed	<i>elatior</i> , m.	...	...	...	...	div.	1½	3
845	— blue	— <i>cæruleum</i>	...	...	...	...	bl.	...	3
846	— new brown	— <i>fuscum novum</i>	...	...	...	...	grey	...	3
847	— rose	— <i>roseum</i>	...	...	...	...	rose	...	3
848	branching, m.	<i>Consolida</i>	...	...	...	...	div.	2	3
849	— blue	— <i>cæruleum</i>	...	...	...	...	bl.	...	3
850	— rose	— <i>roseum</i>	...	...	...	...	rose	...	3
851	fine m. perennial	<i>pl. sp. peremans</i>	...	...	...	hpt	div.	3	6
852	Lavatera, red	<i>Lavatera trimestris</i>	16	48	111	ha	red	...	3
853	white	— <i>alba</i>	...	...	...	...	wh.	...	3
854	Love lies bleeding	<i>Amaranthus caudatus</i>	21	40	63	...	red	tra. 7-8	3
855	buff	— <i>fulvus</i>	...	...	...	...	buff	...	3
856	Lupines, large blue	<i>Lupinus hirsutus</i>	16	45	102	...	bl.	2 7-9	3
857	Dutch blue	<i>canabiculatus</i>	...	...	...	...	...	...	3
858	large rose	<i>pilosus</i>	...	...	...	...	l. r.	...	3

<i>A — is employed to indicate varieties.</i>			L. Cl.	L. O.	N. O.	H. & Dur.	Col. of Fl.	Hght.	N. of Flow.	Price.
No.								feet		s. d.
859	Lupines, small blue	<i>Lupinus angustifolius</i>	16	45	102	ha	bl.	2	7-9	3
860	white	<i>albus</i>	...	...	...	...	wh.	...	...	3
861	yellow	<i>luteus</i>	...	...	...	...	yel.	1½	...	3
862	straw	— <i>stramineus</i>	...	...	...	...	str.	...	...	3
863	Nos. 856 to 862	— — —	...	...	...	...	div.	...	...	3
864	mixed	— — —	...	...	...	...	...	...	...	3
865	Mallow, 6 sp.	<i>Malva, 6 sp. sep.</i>	...	48	111	...	...	...	7-8	1 6
866	Marigold, French, m.	<i>Tagetes patula</i>	19	54	82	hha	div.	1½	7-9	3
867	dwarf	— <i>humilis</i>	...	...	...	...	dark	...	...	3
868	tall double	— <i>grandis</i>	...	...	...	...	b&y.	...	...	3
869	superb striped	— <i>striata, fl. pl.</i>	...	...	...	...	stri.	...	...	6
870	unique	— <i>striata simplex</i>	...	...	...	...	...	...	...	3
871	Marigold, African	<i>Tagetes erecta</i>	...	...	...	...	o&y.	2	...	3
872	new dwarf	— <i>humilis nova</i>	...	...	...	...	or.	1	...	3
873	lemon	— <i>citrina</i>	...	...	...	...	cit.	2	...	3
874	orange	— <i>crocata</i>	...	...	...	...	or.	...	...	3
875	Nos. 866 to 874	— — —	...	...	...	...	...	...	2 0	...
876	Marvel of Peru	<i>Mirabilis Jalapa</i>	5	25	115	hhpt	red	3	...	3
877	red-striped	— <i>striata rubra</i>	...	...	...	...	r. s.	...	...	3
878	yellow	— <i>lutea</i>	...	...	...	...	yel.	...	...	3
879	yellow-striped	— <i>striata lutea</i>	...	...	...	...	y. s.	...	...	3
880	white	— <i>alba</i>	...	...	...	...	wh.	...	...	3
881	three-coloured	— <i>tricolor</i>	...	...	...	...	3col.	...	...	6
882	hybrid	— <i>hybrida</i>	...	...	...	...	red	...	...	4
883	long-tubed	<i>longiflora</i>	...	...	...	...	wh.	...	...	3
884	new purple	— <i>purpurea</i>	...	...	...	...	pur.	...	...	4
885	Nos. 876 to 884	— — —	...	...	...	...	div.	...	2 0	...
886	mixed	— — —	...	...	...	...	...	...	...	6
887	Monkshood, 6 sp.	<i>Aconitum, 6 sp.</i>	13	28	129	hp	b&w	2½	...	1 6
888	Mignonette, oz. 6d.	<i>Reseda odorata</i>	11	...	130	ha	buff	1½	...	3
889	Nasturtions, dwarf	<i>Tropaeolum minus</i>	8	43	143	...	o&s.	tra.	...	3
890	common dwarf	— <i>dubium</i>	...	...	...	...	or.	3	...	3
891	tall	<i>Majus</i>	...	...	...	...	o&y.	6	...	3
892	new sulphur	— <i>sulphureum</i>	...	...	...	...	sul.	...	...	4
893	dark red	— <i>atrosanguineum</i>	...	...	...	...	d. r.	...	...	3
894	Shilling's	— <i>Shillingii</i>	...	...	...	...	stri.	...	...	4
895	Nos. 889 to 894	— — —	...	...	...	...	...	...	1 6	...
896	Palma Christi	<i>Ricinus major</i>	21	49	89	hhpt	pale	6	...	3
897	Peas, Tangier	<i>Lathyrus tingitanus</i>	17	45	102	ha	sc.	4	...	3
898	— striped	— <i>striatus</i>	...	...	...	...	str.	...	...	3
899	Lord Anson's 2 v.	— <i>magellanicus</i>	...	...	...	...	b&w	5	...	3
900	winged 2 v.	<i>Tetragonolobus pur.</i>	...	...	...	...	s&y.	1	...	3
901	Crown	<i>Pisum umbellatum</i>	...	...	...	...	rose	4	...	3
902	Nos. 897 to 901	— — —	...	...	...	...	...	...	1 0	...
903	Pea Sweet, perlb. 4s.	<i>Lathyrus odoratus</i>	...	...	...	...	div.	4	...	3
904	black	— <i>niger</i>	...	...	...	...	bl.	...	...	3
905	painted lady	— <i>pictus</i>	...	...	...	...	var.	...	...	3
906	purple	— <i>purpureus</i>	...	...	...	...	pur.	...	...	3
907	scarlet	— <i>coccineus</i>	...	...	...	...	sc.	...	...	3
908	striped	— <i>striatus</i>	...	...	...	...	stri.	...	...	3

<i>A — is employed to indicate varieties.</i>		Cl.	L.	O.	N.	H. & Dur.	Col. of Fl.	Hght.	M. of Flow.	Price.
No.								feet		s. d.
909	Peas, sweet, white	<i>Lathyrus odor. albus</i>	17	45	102	ha	wh.	4	...	3
910	Nos. 903 to 909	— — —	...	...	...	...	...	...	...	1 6
911	Polyanthus, fine m.	<i>Primula clatior</i>	5	25	127	hp†	div.	1	4-6	6
912	extra fine mixed	— — —	...	...	...	...	...	...	...	1 0
913	Pink, common	<i>Dianthus moschatius</i>	10	26	136	hp	w&r.	...	6-8	3
914	finest double	— flore-pleno	...	...	...	...	...	...	...	1 0
915	Poppy, fine m. 10 v.	<i>Papaver somniferum</i>	13	25	120	ha	div.	2½	7-9	3
916	double black	flore-pleno niger	...	...	...	...	bl.	...	...	3
917	— bluish	— rubens	...	...	...	...	red	...	...	3
918	— Carnation	— caryophylloides	...	...	...	...	str.	...	...	3
919	— fringed, 3 var.	— finbriatum	...	...	...	...	bor.	...	...	3
920	— new rose	— roseum novum	...	...	...	...	rose	...	...	3
921	— scarlet	— coccineum	...	...	...	...	sc.	...	...	3
922	— white	— album	...	...	...	...	wh.	...	...	3
923	French or Rann.	<i>Rhœas</i>	...	...	...	...	div.	1½	...	3
924	Chinese, painted	— pictum	...	...	...	...	...	...	...	3
925	Nos. 915 to 924	— — — [driacus	...	...	...	...	...	...	...	2 0
926	Prince's Feather	<i>Amaranthus hypochon</i>	21	40	63	...	pur.	3	7-8	3
927	new Giant	speciosus?	...	...	...	...	...	...	...	3
928	Quaking Grass	<i>Briza maxima</i>	3	26	92	...	gr.	1½	7-9	3
929	Rocket, sweet	<i>Hesperis tristis</i>	15	61	85	hp	wh.	...	5-8	3
930	Dances'	malronalis	...	...	...	...	pur.	...	...	3
931	Rose Champion	<i>Lychnis Githago</i>	10	30	136	ha	cr.	2	7-8	3
932	Scabious, fine dwarf	<i>Scabiosa nana</i>	4	25	87	...	div.	1	7-9	3
933	dark purple	atropurpurea	...	...	...	hp†	pur.	2	...	3
934	mixed	pl. var.	...	...	...	...	div.	...	...	3
935	large-flowered	grandiflora	...	...	...	...	...	...	...	6
936	starry	stellata	...	...	...	...	bl.	1½	...	3
937	Nos. 932 to 936	— — —	...	...	...	...	...	...	...	1 3
938	Sensitive Plant	<i>Mimosa sensitiva</i>	23	51	102	G.	pink	1½	6-9	4
939	Snappedragon, fine m.	<i>Antirrhinum Majus</i>	14	59	134	hp†	div.	2	...	3
940	Carnation	— caryophylloides	...	...	...	...	str.	...	...	6
941	new Pink	— roseum	...	...	...	...	rose	...	...	3
942	painted	— pictum	...	...	...	...	w&r.	...	...	3
943	scarlet	— coccineum	...	...	...	...	sc.	...	...	3
944	yellow	— luteum	...	...	...	...	yel.	...	...	3
945	purple	— purpureum	...	...	...	...	pur.	...	...	3
946	white	— album	...	...	...	...	wh.	...	...	3
947	Nos. 939 to 946	— — —	...	...	...	...	div.	...	...	2 0
948	Snake Melon	<i>Cucumis flexuosus</i>	21	49	86	fa	yel.	tra.	7-9	4
949	Spanish Broom	<i>Spartium junceum</i>	16	45	102	hp	...	3	6-9	3
950	Stock, Ten-week	<i>Mathiola annua</i> , 10 v.	15	61	85	hha	div.	1½	...	6
951	scarlet	— coccinea	...	...	...	...	cr.	...	...	3
952	giant scarlet	— major	...	...	...	...	...	2½	...	6
953	new scarlet	— nova	...	...	...	...	...	1½	...	6
954	purple	— purpurea	...	...	...	...	pur.	...	...	3
955	dark purple	— atropurpurea	...	...	...	...	d. p.	...	...	3
956	white	— alba	...	...	...	...	wh.	...	...	3
957	giant white	— major	...	...	...	...	...	2½	...	4
958	new Victoria	— var.	...	...	...	...	pur.	...	...	6



<i>A — is employed to indicate varieties.</i>			L. Cl.	L. O.	N. O.	H. & Dur.	Col. of Fl.	Hght.	M. of Flow.	Price.
No.								feet		s. d.
959	Nos. 950 to 958	— — —	15	61	85	hha	div.	2½	6-9	3 0
960	Stock, German, d.	<i>Mathiola annua, d.</i>	...	...	...	...	...	1	...	6
961	large packet	— <i>densiflora</i>	...	...	...	...	...	...	...	1 0
962	dark blue	— <i>atro-cærulea</i>	...	...	...	...	d. b.	...	...	6
963	light blue	— <i>late-cærulea</i>	...	...	...	...	l. b.	...	...	6
964	carmine	— <i>miniata</i>	...	...	...	...	car.	...	...	6
965	crimson	— <i>kermesina</i>	...	...	...	...	cr.	...	...	6
966	new yellow	— <i>lutea nova</i>	...	...	...	...	yel.	...	...	6
967	peach-blossom	— <i>persiciflora</i>	...	...	...	...	pch	...	...	6
968	rose	— <i>rosea</i>	...	...	...	...	rose	...	...	6
969	violet	— <i>violacea</i>	...	...	...	...	vio.	...	...	6
970	white	— <i>alba</i>	...	...	...	...	wh.	...	...	6
971	wallfl.-leaved	— <i>cheirifolia</i>	...	...	...	...	div.	...	...	6
972	Autumnal, 12 v.	— <i>autumnalis</i>	...	...	...	...	...	1¼	8-10	6
973	Nos. 960 to 972	— — —	...	...	...	...	...	...	...	5 6
974	Stock, Queen, p.	<i>Mathiola incana</i>	...	...	...	hbb	pur.	2	5-8	3
975	scarlet	— <i>coccinea</i>	...	...	...	...	sc.	...	...	3
976	white	— <i>alba</i>	...	...	...	...	wh.	...	...	3
977	12 fine var. m.	— <i>pl. var.</i>	...	...	...	...	div.	...	...	1 0
978	Brompton, sc.	<i>simplicicaulis</i>	...	...	...	...	sc.	3	...	3
979	— white	— <i>alba</i>	...	...	...	...	wh.	...	...	3
980	— purple	— <i>purpurea</i>	...	...	...	...	pur.	...	...	3
981	— carmine, G.	— <i>miniata</i>	...	...	...	...	car.	...	...	6
982	— crimson	— <i>kermesina</i>	...	...	...	...	cr.	...	...	6
983	— new copper	— <i>cyprea nova</i>	...	...	...	...	cop.	...	...	6
984	— violet	— <i>violacea</i>	...	...	...	...	vio.	...	...	6
985	— violet, dark	— <i>atro-violacea</i>	...	...	...	...	d. vi.	...	...	6
986	— white, G.	— <i>alba</i>	...	...	...	...	wh.	3	...	6
987	Nos. 981 to 986	— — —	...	...	...	...	...	...	...	2 6
988	Imperial, red	— <i>imperialis</i>	...	...	...	...	red	2	year.	6
989	— purple	— <i>purpurea</i>	...	...	...	...	pur.	...	...	6
990	Sunflower, double	<i>Helianthus annuus</i>	19	55	82	ha	yel.	4	7-9	3
991	Giant	— <i>giganteus</i>	...	...	...	...	...	7	...	3
992	5 var. sep.	— — —	...	...	...	...	div.	...	...	1 0
993	Sweet Alyssum	<i>Alyssum maritimum</i>	15	60	85	hpt	wh.	¾	6-9	3
994	Sweet Sultan	<i>Amberbda moschata</i>	19	55	82	hha	pur.	2	7-9	3
995	— white	— <i>alba</i>	...	...	...	...	wh.	...	...	3
996	yellow	— <i>suavdolens</i>	...	...	...	...	yel.	...	...	3
997	blush	<i>Crocodylium</i>	...	...	...	...	bl.	...	...	3
998	Nos. 994 to 997	— — —	...	...	...	...	...	...	...	1 0
999	Sweet William, 20v.	<i>Dianthus barbatus</i>	10	26	136	hp	div.	1½	6-8	6
1000	fine scarlet	— <i>coccineus</i>	...	...	...	...	se.	...	...	6
1001	Venus' Looking-	<i>Prismatocarpus Spc-</i>	5	25	76	ha	bl.	1	...	3
1002	5 var. sep. [Glass	— — — [culum	...	...	...	...	div.	...	...	1 0
1003	Venus' Navelwort	<i>Cynoglossum linifoli-</i>	...	...	72	...	wh.	...	7-8	3
1004	Violet, sweet	<i>Viola odorata</i> [um	...	...	147	hpt	div.	...	4-7	6
1005	Russian	— <i>pl. var.</i>	...	...	...	...	...	...	...	6
1006	Virginian Stock	<i>Malcòmia maritima</i>	15	61	85	ha	li.	½	6-7	3
1007	white	— <i>alba</i>	...	...	...	...	wh.	...	...	3
1008	Wallflower, dark	<i>Cheiranthus Cheiri</i>	...	...	...	hp	br.	2	5-8	3

<i>A — is employed to indicate varieties.</i>			L. Cl.	L. O.	N. O.	H. & Dur.	Col. of Fl.	Hght.	M. of Flow.	Price.
No.								feet		s. d.
1009	Wallf. Chameleon	— <i>variabilis</i>	15	61	85	hp	var.	2	5-8	4
1010	double dark	— <i>florc-pleno</i>	...	...	...	...	bl.	...	...	6
1011	— dwarf	— <i>nanus</i>	...	...	...	...	...	1	...	6
1012	— blue	— <i>cæruleus</i>	...	...	...	...	bl.	2	...	1 0
1013	— violet	— <i>violaceus</i>	...	...	...	...	vio.	...	...	6
1014	lilac	<i>lilacinus</i>	...	...	...	...	li.	...	...	4
1015	yellow	<i>luteus</i>	...	...	...	...	yel.	...	...	3
1016	Nos. 1008 to 1015	— — —	...	...	...	...	div.	...	...	3 0
1017	Winter Cherry	<i>Physalis Alkekengi</i>	5	25	137	ba	wh.	...	7-8	3
1018	Xeranthemum, pur.	<i>Xeranthem. annuum</i>	19	54	82	lha	pur.	...	...	3
1019	— white	— <i>album</i> [ <i>teatum</i> ]	...	...	...	...	wh.	...	...	3
1020	— yellow	<i>Elychrisum brac-</i>	...	...	...	...	yel.	...	...	3
1021	— new white	— <i>album novum</i>	...	...	...	...	wh.	...	...	3
1022	— new straw-c.	— <i>stramineum</i>	...	...	...	...	snl.	...	...	3
1023	Nos. 1018 to 1022	— — —	...	...	...	...	div.	...	...	1 0

## ADDITIONAL SEEDS.

			s. d.
1024	Anomathæca cruenta	<i>blood-red</i>	per packet 0 6
1025	Antirrhinum Majus, pulchellum	<i>Snapdragon, pretty</i>	" 0 6
1026	— formosum	— <i>beautiful</i>	" 0 6
1027	— quadricolor	— <i>four-coloured</i>	" 0 6
1028	Aquilegia alpina	<i>Columbine, alpine</i>	" 0 4
1029	Arabis alpina	<i>Wall-Cress, alpine</i>	" 0 4
1030	Begonia grandiflora	<i>large-flowered</i>	" 0 6
1031	Bœsea Yermavora	<i>Yermavora</i>	" 0 6
1032	Brugmansia bicolor	( <i>dark-red var.</i> )	" 0 6
1033	Caleandrinia officinalis, 2 var.	( <i>two fine varieties</i> )	" 0 6
1034	Calla æthiopica	<i>Ethiopian</i>	" 0 6
1035	Campánula barbata, 2 var.	( <i>blue and white, sep.</i> )	" 0 6
1036	gemmaifera	<i>gem-flowered</i>	" 0 4
1037	grandis	<i>grand</i>	" 0 6
1038	Crucianella stylôsa	<i>long-styled</i>	" 0 4
1039	Fumaria spicata	<i>spiked (fine)</i>	" 0 3
1040	Galardia Richardsoni	<i>Richardson's</i>	" 0 4
1041	aristata	<i>awned</i>	" 0 3
1042	Magnolia grandiflora	<i>large-flowered</i>	" 1 0
1043	Málope trifida, alba	<i>white</i>	" 0 3
1044	— grandiflora	<i>large-flowered</i>	" 0 3
1045	Malva Niveni	<i>Niven's</i>	" 0 6
1046	Pentstemon Scouleri	<i>Scouler's</i>	" 0 6
1047	Petunia phœnicea, var.	( <i>fine variety</i> )	" 0 6
1048	Passiflora cærulea	<i>blue-flowered</i>	" 0 6
1049	Potentilla splendens	<i>shining</i>	" 0 6
1050	Portulaca Gilliesii	<i>Gillies's</i>	" 0 6
1051	Scutellaria splendens	<i>splendid</i>	" 0 6
1052	Tigridia, sp. cœrulea	<i>blue-flowered</i>	" 1 0
1053	Verbascum phœniceum	<i>purple</i>	" 0 3

## BULBOUS ROOTS.

		L. Cl.	L. O.	N. O.	H. & Dur.	Col. of Fl.	Hght.	M. of Flow.	Price.
							feet	s. d.	
*Amaryllis anlica	courtly each	6	25	64	S.	g&s.	1½	7-8	2 6
calyptrata	veiled (bright green)	...	...	...	...	gr.	...	...	2 6
psittacina	Parrot "	...	...	...	...	g&s.	...	...	2 6
sp. brasiliensis	Brazilian, sp. No. 1.	...	...	...	...	o. r.	...	...	2 6
— No. 2.	— No. 2. "	...	...	...	...	l. r.	...	...	2 6
— nova ex Chile	Chilean, sp. No. 1.	...	...	...	G.	dr.	2	...	4 0
— — —	— No. 2. "	...	...	...	...	rose	...	...	4 0
— — —	— No. 3. "	...	...	...	...	ycl.	...	...	4 0
— — — 16 species	including the above	...	...	...	...	div.	...	...	50 0
Anemone corouaria	new Dutch per lb.	13	35	129	hp	...	1½	5-7	12 0
— — —	24 in 6 varieties	...	...	...	...	...	...	...	6 0
Anomatheca cruenta	blood-red p. doz.	...	...	...	...	d. r.	1	6-9	2 0
Brodiaea sp. ex Chile	Chilean sp. each	3	25	103	fp	...	...	6-7	1 0
Chrysa nobilis	noble "	6	...	64	S.	r & y.	1½	7-8	7 6
Conanthera, sp. ex Chile	Chilean species "	...	...	103	fp	...	1	...	1 6
Crinum variabile	variable "	...	...	64	hlp	...	2	7-9	2 0
Gladiolus blandus	fair "	3	...	100	...	fl.	...	...	1 0
formosissimus	most beautiful "	...	...	...	...	pur.	...	...	12 6
ramosus	branching "	...	...	...	...	rose	...	...	7 6
Victoria	Queen Victoria's "	...	...	...	...	sc.	...	...	12 6
— — — 20 species	including the above	...	...	...	...	div.	...	...	40 0
cardinalis	Cardinal per doz.	...	...	...	...	sc.	...	...	5 0
oppositiflorus, Herb.	floribundus "	...	...	...	...	w&r.	...	...	5 0
Habranthus ? 4 sp.	4 sp. Valparaiso ea.	6	...	64	G.	...	...	7-8	2 6
Griffinia, sp. ex Brazil	Brazilian sp. "	...	...	...	S.	pur.	1	...	10 0
Iris susiana	Susian "	3	...	100	hlp	str.	2	5	1 0
tuberosa	tuberosus rooted "	...	...	...	...	g&b.	¾	...	1 0
Ixia, pl. sp. et var.	fine mixed per 100	...	...	...	hlp	div.	1-2	5-6	16 0
Lilium longiflorum	long-flowered p. doz.	6	...	64	hp	wh.	2	7-9	4 0
Oxalis Deppei	Deppe's "	10	30	118	hlp	red	...	...	2 6
Polyanthes tuberosa, fl. p.	Double Tuberoses "	6	25	64	...	wh.	3	8-9	4 0
Ranunculus asiaticus	extra fine m. p. 100	13	35	129	hp	div.	1	6-7	7 0
— — —	100 in 100 fine var.	...	...	...	...	...	...	...	20 0
— sanguineus	scarlet Turban "	...	...	...	...	sc.	...	...	3 0
— flavus	yellow "	...	...	...	...	ycl.	...	...	4 0
100 Tur. in 5 var.	not incl. in the above	...	...	...	...	div.	...	...	12 0
— — —	white or spotted	...	...	...	...	...	...	...	1 0
Sparaxis tricolor et var.	20 f. v. mix. per 100	3	25	100	hlp	...	...	5-6	20 0
Tecophila, 2 sp. ex Chile	two fine new sp.	6	...	64	...	...	...	...	4 6
Trichonema, 3 sp.	12 in 3 fine sp.	3	...	100	...	div.	...	5-6	5 0
Tropæolum Jarrattii**	Mr. Jarratt's, each	8	...	143	G.	s&y.	6	6-9	3 6
Vioussienxia glaucopsis	(Peacock Iris) p. doz	3	...	100	hlp	var.	1	5-6	2 6

\*\* Orders for Amaryllis, Brodiaea, Conanthera, Gladiolus, Griffinia, Iris, Ixia, Lilium, Oxalis, Sparaxis, Tecophila, Trichonema, Tropæolum and Vioussienxia are requested before the end of January. \* Hippeastrum of Herbert.

## KITCHEN GARDEN SEEDS.

*Warranted Genuine.*

Month of Sow.	oz. omec; qt. quart.	Price.	Month of Sow.	pa. packet; bush. bushel.	Price.
		<i>s. d.</i>			<i>s. d.</i>
3 and 4	Artichoke, best per oz.	1 0	4 to 6	Broccoli, very late d. Danish	1 0
	Asparagus, giant	0 3		6 best for succession	7 0
11 to 6	Beans, early Mazagan p. qt.	0 6	5 to 6	Brussels sprouts, extraft. „	1 0
	dwarf Fan	0 8	3 to 9	Cabbage, American, per oz.	1 0
	new long pod	0 8		Carter's new Matchless	2 6
	sword long pod	0 6		early dwarf per oz.	0 8
	green long pod	0 6		early Nonpareil	1 0
1 to 5	largest Windsor	0 8		— York	0 8
	green Windsor	0 8		— Battersea	0 8
4 to 6	Beet, finest red per oz.	0 4		— East Ham	0 8
	green	0 3		— Emperor	0 8
	silver or Sea kail	0 6		— heart-shaped	0 8
	white	0 3		— Paignton	0 8
4 to 5	Borecole or Kail, brown	0 4		— Plaw	0 8
	green curled	0 4		— Sugar loaf	0 8
	purple	0 4		— Vanack	0 8
	variegated, &c. &c.	0 6		— Wellington, &c.	0 8
4 to 6	Broccoli, earliest Cape p.	1 0		large Imperial	0 8
	Improved white Cape	1 6		— Battersea	0 8
	Grange's white	1 0		6 best sorts, 1 oz. each	5 0
	early cauliflower	1 0		Red Dutch	0 8
	— Belvidere	1 0		Cabbage, drumhd. Savoy „	0 6
	— cream-coloured	1 0		large green Savoy	0 6
	— purple	1 0		yellow Savoy	0 6
	— white	1 0		Bragauza	0 8
	— Malta	1 0		Pe-tsay or Chinese pa.	1 0
	— Imperial	1 0		Turnip rooted ab. g. oz.	0 6
	— sprouting	1 0		Turnip rooted un. g. „	0 6
	— Walcheren	1 6		Chou de Milan	0 8
	Brimstone	1 0	2 to 8	Carrot, earliest Horn	0 3
	dwarf Russian	1 0		long Surrey	0 3
	Hampton Court	1 0		— orange	0 3
	Howden's superb	1 0		Altringham	0 3
	Impregnated white	1 0	2 to 8	Cauliflower, early Eng.	1 6
	Invisible	1 0		late English	1 6
	Knight's protecting	1 0		early Asiatic	1 6
	Portsmouth	1 0		late Cyprus	1 6
	Winter Imperial	1 0	3 to 6	Celery, solid white	0 6
	White Southampton	1 0		solid red	0 6
	late white	1 0		giant red	1 0
	— Miller's	1 0		giant white	1 0
	— purple close-h.	1 0		Celeri de Tounrs	1 0
	— large white	1 0		Seymour's white	1 0
	— large purple	1 0		large root. Celeriac „	0 6
	— American, ext.	1 0		Cardoon, Spanish	0 6

Month of Sow.	oz. ounce ; qt. quart.	Price.	Month of Sow.	pa. packet ; bush. bushel.	Price.
		<i>s. d.</i>			<i>s. d.</i>
3 to 6	Chervil, curled per oz.	0 6	1 to 8	Lettuce, Drumhead cab. oz.	1 0
4 to 6	Colewort, Haw Green "	0 6		Grand Admiral ca. "	1 0
5 to 7	Corn Salad "	0 3		Imperial cabbage "	1 0
2 to 9	Cress, common, per quart	1 0		Malta cabbage "	1 0
	triple, curled "	1 6		Marseilles cabbage "	1 0
	Cress, golden "	2 0		Large Mognl cab. "	1 0
	Amer. perennial p. oz.	0 3		white-seeded "	1 0
1 to 6	Cucumber, fine frame p. pa.	0 6		Hammersmith, hardy*	1 0
	black spine, 14 inches	0 6		Tennis ball "	1 0
	fine long prickly "	0 6		white cabbage* "	0 6
	Southgate "	0 6		New Cape cabbage, pa.	1 0
	Rochford "	0 6	4 and 5	Love apple or Tomato p. pa.	0 3
	fine Ridge "	0 6		yellow "	0 3
	short prickly "	0 3		<i>Melon Seeds, per packet.</i>	
	green & wh. Turkey, "	0 6	1 to 5	Melon, Beechwood, extra	1 0
	Cuthill's black spine	1 0		Duncan's fine g. fl.	1 0
	Hero of Surrey "	1 0		Golden Cassabar	1 0
	fine new frame "	1 0		Green-fleshed, fine m.	0 6
	Manchester prize	0 6		Hardie's new Canta-	} 2 6
	improved Manchester	1 0		lupe, the earliest	
	Roman Emperor "	1 6		Netted Cantalupe, mix.	1 0
	Sion House	1 0		Niel's extra fine g. f.	1 0
	Snow's Horticultural	1 0		Persian Melon	0 6
	superb white spine "	1 0		Queen's Pocket	1 0
	Walker's Rambler "	1 6		Scarlet-flesh, fine m.	0 6
	— Traveller "	1 6		Scarlet Rock	0 6
	— superba "	1 6		Succade Melon, extra	1 0
	Weedon's prize	1 0		White Frogmore	0 6
	The last 13 sorts, 12s.			Windsor prize, scarlet	0 6
6 to 8	Endive, green curled oz.	0 8		Windsor prize, green	0 6
	white curled "	0 8		6 best sorts	6 0
	Batavian, white "	0 8		<i>Water Melons.</i>	
	— green "	0 8		Citron water Melons }	} 0 6
5 to 7	French beans, all sorts per qt.	1 6	1 to 5	for preserving only }	
3 to 5	Leek, London Flag p. oz.	0 8		Imperial, fine flavour	0 6
1 to 8	Lettuce, Bath Cos*	1 0		Long Carolina	0 6
	new black-seeded "	1 0		Long Island	0 6
	blood Cos "	1 0		Long Mountain	} 0 6
	brown Cos*	1 0		sprout,* very large	
	black seed g. Cos. "	1 0		Mixed	0 6
	dwarf Siberian "	1 0		3 to 9	Mustard, white p. quart
	Egyptian Cos "	1 0			brown "
	Florence Cos "	1 0		3 to 8	Onion, blood-red per oz.
	green Cos "	1 0			Deptford "
	new black-seeded* "	1 0			Globe "
	Paris Cos "	1 0			— new white "
	spotted Cos "	1 0			James' keeping "
	white Cos "	1 0			Lisbon* "
	Silesia "	1 0			Portugal, white "
	brown Dutch* "	1 0			
* Best for Autumn sowing.					



Month of Sow.	oz. ounce; qt. quart.	Price.	Month of Sow.	pa. packet; bush. bushel.	Price.
		<i>s. d.</i>			<i>s. d.</i>
* Best for Autumn sowing.	3 to 8 Onion, Reading, white, p. oz.	0 6	1 to 8	Radish, early short topt p. qt.	2 0
	Silver-skinned "	1 0		long Saluon "	2 0
	Spanish, white* "	0 6		white Naples "	2 6
	— brown "	0 6		purple Salad "	1 6
	Strasburg "	0 6		red Turnip "	2 0
	Tripoli* "	1 0		white Turnip "	2 0
	Two-bladed "	0 6		yellow "	2 6
	Welch* "	0 6		olive-shaped per oz.	0 3
	7 to 5 Parsley, curled "	0 3		Black Spanish "	0 3
	extra curled "	0 4		Rampion per pa.	0 6
	Hambro, rooted "	0 4		Rape, Salad per qt.	1 0
2 to 5	Parsnip, hollow-crowned,,	0 3	3 to 5	Rhubarb, fine mixed per oz.	0 6
9 to 5	Peas, early Kent p. qt.	1 0		Giant per pa.	0 6
	— Race Horse "	1 0		Tobolsk "	0 6
	— Prince Albert "	5 0		Salsafy per oz.	0 8
	— Warwick "	0 8		Scorzonera "	0 8
	— s. blossom Frame "	0 8		2 to 5 Sea Kail per qt.	2 0
	— d. blossom do. "	0 8		Skirret per oz.	0 8
	— nimble "	0 8		Sorrel "	0 6
	— Charlton "	0 6		2 to 6 Spinach, round per qt.	1 0
	— Bishops dwarf "	1 0		2 to 10 prickly "	1 0
	— Anvergne "	1 0		broad Flanders "	1 0
3 to 6	Egg, large "	0 8	3 to 5	New Zealand per oz.	0 6
	Marrow, dwarf wh. "	0 8	2 to 5	Squash, 6 var. per pa.	0 6
	— tall white "	0 8	2 to 6	Turnip, early Dutch per oz.	0 3
	— dwarf green "	0 8		early Mousetail "	0 3
	— tall green "	0 8		— six week "	0 3
	— early green "	0 8	3 to 9	— stone "	0 3
	— Woodford's green "	0 8		yel. Altringham "	0 3
	— Grotto or oyster, "	0 8		— Maltese "	0 4
	— Royal Victoria "	1 0		— stone "	0 3
	Knight's marrow, d. w.	1 0		3 to 5 Teltan, German "	0 6
	tall white "	1 0		yel. Searisbrick per pa.	0 6
	new dwarf green "	1 0		Vegetable Marrow "	0 6
	tall green "	1 0		SWEET & POT HERBS.	
	new Wrinkle "	1 6			
	Matchless Marrow "	0 8	4 to 6	Balm per pa.	0 3
	Prussian, blue "	0 8		Basil, sweet "	0 3
	Prussian, white "	0 8		— bush "	0 3
	Groom's superb "	1 0		Bugloss "	0 3
	Imperial, Bedman's, "	0 8		Burnet "	0 3
	Scimitar, blue "	0 8		Clary "	0 3
	— white "	0 8		Capsicum and Chilis "	0 6
	Spanish dwarf "	0 8		Fennel "	0 3
	— new blue "	1 0		Hyssop "	0 3
	white Rounceval, &c., "	0 8		Lavender "	0 3
4 to 6	Potato Seed, best pa.	1 0		Marjoram, sweet "	0 3
5 and 6	Purslain, green per oz.	0 6		— pot "	0 3
1 to 8	Radish, long frame per qt.	2 6		Marigold, pot "	0 3
	early scarlet "	2 0		Rosemary "	0 3

Month of Sow.	oz. ounce; qt. quart.	Price.	Month of Sow.	pa. packet; bush. bushel.	Price.
4 to 6	Sage per pa.	<i>s. d.</i> 0 3		ROOTS, PLANTS, &c.	
	Savory, Summer "	0 3		<i>The Prices variable.</i>	
	— Winter "	0 3		Artichokes per peck	<i>s. d.</i>
	Thyme "	0 3		Asparagus, 1 & 2 yrs. per 100.	3 0
				3 & 4 years "	4 0
				Grayson's giant "	5 0
	FRUIT SEEDS.			Chives "	
	Strawberry, Red Alpine, pa.	0 6		Garlic per lb.	1 0
	— white "	0 6		Horse Radish per doz.	
	— Keen's seedling "	0 6		Mushroom Spawn per bush.	4 0
	— Elton Pine, &c. "	0 6		Potato, early forcing, all sorts	
	Raspberry, best red "	0 6		Rhubarb, Tobolsk per doz.	12s
	<i>And Seeds of other Fruits,</i>			Myatt's Victoria each	2 0
	<i>Physical Herbs, &amp;c.</i>			Rocamboles per lb.	
				Shallots "	1 0
				Sea Kail per 100.	
				Strawberries, various "	
				Raspberries, all sorts.	

## SUNDRY PLANTS.

To prevent his sending duplicates of sorts already possessed, J. C. requests a list of such as are not to be included; he will then guarantee the selection to prove in every respect satisfactory.

	£	s.	d.
Carnations, extra fine prize flowers, named, per 12 pair .....	1	4	0
————— 12 single plants .....	0	14	0
Picotees, extra fine, white grounds, per 12 pair .....	1	0	0
————— 12 single plants .....	0	12	0
————— yellow grounds, per 12 pair .....	1	4	0
————— per 12 single plants .....	0	14	0
Chrysanthemums, 12 extra fine sorts, named .....	0	18	0
————— 12 very fine older sorts .....	0	10	0
Double Dahlias, pot roots, warranted fine sorts .....	1	0	0
Fuchsias, 12 extra fine sorts, named .....	1	0	0
Geraniums, 12 extra fine sorts .....	3	3	0
————— 12 very fine sorts .....	2	2	0
————— 12 fine sorts .....	1	0	0
Heartsease or Pansies, 12 extra fine sorts, named ...	1	0	0
————— 12 very good varieties, named .....	0	5	6
Verbenas, 12 beautiful sorts, named .....	12s. to 0	15	0

## AGRICULTURAL SEEDS.

I. The following consist principally of Grasses.

<i>Achillea millefolium</i>	<i>Yarrow</i>	per lb.	s. d.
<i>Agrostis alba</i>	<i>Marsh Bent Grass or Fiorin</i>	per bush.	
<i>Alopecurus pratensis</i>	<i>Meadow Foxtail</i>	"	
<i>Anthoxanthum odoratum</i>	<i>Sweet Vernal</i>	per lb.	
<i>Avena flavescens</i>	<i>Yellow Oatgrass</i>	per bush.	
<i>Cynosurus cristatus</i>	<i>Crested Dogtail Grass</i>	per lb.	
<i>Dactylis glomerata</i>	<i>Rough Cock's foot</i>	"	
<i>Festuca durinsecula</i>	<i>Hard Fescue</i>	per bush.	
<i>elatior</i>	<i>Taller</i>	"	
<i>liliacea</i>	<i>Spiked</i>	"	
<i>heterophylla</i>	<i>Various-leaved Fescue</i>	"	
<i>ovina</i>	<i>Sheep's</i>	"	
<i>pratensis</i>	<i>Meadow</i>	"	
<i>tenuifolia</i>	<i>Slender-leaved</i>	"	
<i>Holcus lanatus</i>	<i>Soft Grass</i>	"	
<i>Lolium perenne</i>	<i>Perennial Rye-grass</i>	"	
var. <i>sempervirens</i>	<i>Evergreen</i>	"	
<i>italicum</i>	<i>Italian</i>	"	
<i>Medicago lupulina</i>	<i>Trefoil</i>	per lb.	
<i>sativa</i>	<i>Lucern</i>	"	
sp. <i>gigantea</i>	<i>Bokhara Clover</i>	per packet	1 0
<i>Onobrychis sativa</i>	<i>Cultivated Sainfoin</i>	per bush.	
<i>Phleum pratense</i>	<i>Meadow Cat's-tail, or Timothy Grass</i>	per lb.	
<i>Plantago lanceolata</i>	<i>Rib Grass</i>	"	
<i>Poa nemoralis</i>	<i>Wood Meadow Grass</i>	"	
<i>pratensis</i>	<i>Smooth-stalked Meadow Grass</i>	"	
<i>trivialis</i>	<i>Rough-stalked Meadow Grass</i>	"	
<i>Poterium sanguisorba</i>	<i>Burnet</i>	"	
<i>Trifolium medium</i>	<i>Cow Grass</i>	"	
<i>pratense</i>	<i>Red Clover</i>	"	
<i>repens</i>	<i>White Dutch Clover</i>	"	
<i>incarnatum</i>	<i>Scarlet Clover</i>	"	
— — —	<i>Fine mixed Grass Seed for Lawns, &amp;c.</i>	"	
— — —	<i>Fine " " for permanent pasture</i>	"	
<i>Vicia sativa, æstivalis</i>	<i>Summer Tares</i>	per bush.	
var. <i>hyemalis</i>	<i>Winter Tares</i>	"	

## II. Principally cultivated for Cattle.

<i>Brassica oleracea, capitata, var.</i>	<i>Large Drumhead Cabbage</i>	per lb.	2 0
— — —	<i>Large Scotch Cabbage</i>	"	2 0
— — — <i>vulgaris</i>	<i>Cesarean, or Cow Cabbage</i>	"	2 0
— <i>campestris, Rutabaga</i>	<i>Swedish Turnip, yellow</i>	"	0 9
— — —	<i>— purple-topped, yellow</i>	"	0 9
— — —	<i>Thorpland's and Skirving's do.</i>	"	1 6
— <i>Rapa arvensis</i>	<i>Turnip, white-topped round</i>	"	0 9
— — —	<i>red-topped round</i>	"	0 9
— — —	<i>green-topped round</i>	"	0 9
— — —	<i>white-topped globe</i>	"	0 9
— — —	<i>red-topped globe</i>	"	0 9
— — —	<i>purple-topped Scotch</i>	"	0 9
— — —	<i>white-topped tankard</i>	"	1 0
— — —	<i>green-topped tankard</i>	"	0 9
— — — <i>hybrida</i>	<i>Dale's hybrid, &amp;c. &amp;c.</i>	"	1 0

Bêta vulgaris, campestris	Mangel Wurzel, red or yellow	per lb.	s. d.
— — —	globe do. do.	"	1 6
Cichorium Intybus	Succory	"	1 6
Daucus Carota, arvensis	Carrot, large Allringtonham	"	2 6
— — — albus	— white Belgian, true	"	5 0
Spartium scoparium	Broom	"	"
Ulex europæa	Furze, Gorse or Whin	"	2 0

### III. Principally cultivated for the Seeds.

Avèna sativa, Oats, sorts, per bush.	Faba vulgaris, Beans, sorts, p. bush.
Hordcum vulgare, Barley, " :	Phalaris canariensis, Canary "
Triticum sativum, Wheat, " "	Polygonum Fagopyrum, Buck Wh.
Secale cereale, Rye, " "	Sinapis alba, w. Mustard, p. bush.
Zea Mais, Indian Corn, " "	Sinapis nigra, Brown Mustard, "

*Shreds, Garden Nails, Knives, &c.*

*Russia Mats, Garden Utensils, Netting, &c.—Roses, Shrubs, Fruit Trees, &c. &c.*  
*Seeds carefully packed for Exportation.*

\* \* A Catalogue of genuine Dutch Bulbs will be published in Autumn.

*List of a few important and useful works on Botany, &c., to be had of all Booksellers.*

LOUDON'S Arboretum et Fruticetum Britannicum; or the Hardy Trees and Shrubs of Britain. 8 vols. 8vo. 4 of letter-press, and 4 of plates. 10*l*.

— Abridged Edition, 1 vol. 8vo, 1200 pages and 2200 engravings, 2*l*. 10*s*.

— Encycl. of Cottage, Farm, and Villa Architecture. 1 vol. 2000 Engravings. 3*l*.

— Supplement to do. 8vo, numerous engravings. 3*s*.

— Suburban Gardener and Villa Companion. 1 vol. 8vo. 1*l*.

— REPTON'S Landscape Gardening, &c. 1 vol. 8vo. numerous Plates, 1*l*. 10*s*. plain, 3*l*. coloured.

— Hortus Lignosus Londinensis. 1 vol. 8vo. 7*s*.

— The Gardener's Magazine and Register of Rural and Domestic Improvements. In 8vo. Numbers, monthly. 1*s*. 6*d*. each.

— The Suburban Horticulturist, or an Attempt to teach the science of Horticulture, and the management of the Fruit, Kitchen, and Forcing Garden, to persons who have had no previous knowledge or experience in those departments. 1 vol. 8vo. 380 Engravings. 15*s*. An excellent work.

The Annals and Magazine of Natural History; monthly. 2*s*. 6*d*. each.

Dr. LINDLEY'S Botanical Register, monthly. 3*s*. 6*d*. each.

— Sertum Orchidæacum, splendidly coloured, 10 parts, 25*s*. each.

PAXTON'S Magazine of Botany, monthly. 2*s*. 6*d*. each.

— Pocket Botanical Dictionary. 15*s*.

Mrs. LOUDON'S Ladies' Flower Garden, monthly. 2*s*. 6*d*. each.

— Companion to ditto. 2nd edition, 1 vol. post 8vo. 6*s*.

— The Ladies' Magazine of Gardening. 8vo. monthly. col. Plates. 6*d*. each.

DE CANDOLLE'S Vegetable Organography, translated by Boughton Kingdon, Esq. 2 vols. 8vo. 23 Plates. 1*l*. 8*s*.

KOLLAR'S Treatise on Insects injurious to the Gardener, &c. 1 vol. 8vo. 7*s*.

TAYLOR'S Bee-Keeper's Manual; or Practical Hints, &c. 12mo. 4*s*.

*Ladies and Gentlemen in giving orders, to prevent mistakes, are requested to mention the date of the Catalogue, as the numbers are changed every year.*

Printed by R. and J. E. Taylor, Red Lion Court, Fleet Street.